

DSL:ASR920のPoint to Point Protocol over Ethernet(PPPoE)コンフィギュレーションガイド

内容

[概要](#)

[前提条件](#)

[要件](#)

[使用するコンポーネント](#)

[設定](#)

[クライアントの設定](#)

[サーバの設定](#)

[確認](#)

[トラブルシューティング](#)

[関連情報](#)

概要

このドキュメントでは、クライアントとして動作するCisco ASR 920アグリゲーションサービスルータ(ASR)でPoint to Point Protocol over Ethernet(PPPoE)を設定する手順について説明します。

前提条件

要件

エンドツーエンドのレイヤ1接続に関する知識があることが推奨されます。

使用するコンポーネント

このドキュメントの情報は、Cisco ASR 920ハードウェアに基づくものです。

このドキュメントの情報は、特定のラボ環境にあるデバイスから作成されたものです。このドキュメントで使用するすべてのデバイスは、クリア (デフォルト) 設定で開始しています。

注：本稼働中のネットワークでは、各コマンドによって起こる可能性がある影響を十分確認してください。

設定

注：このセクションで使用されるコマンドの詳細については、[Command Lookup Tool \(登録ユーザ専用\)](#) を使用してください。

ルータの設定は、バックツーバックセットアップ (クライアントとサーバ) です。

クライアントの設定

これは、ASR 920プラットフォーム固有です。

```
interface GigabitEthernet0/0/1
no ip address
no ip redirects
no ip proxy-arp
ip tcp adjust-mss 1452
speed 1000
no negotiation auto
cdp enable
ip virtual-reassembly
service instance 10 ethernet
encapsulation untagged etype pppoe-all
bridge-domain 10
!
interface Dialer1
ip address negotiated
encapsulation ppp
dialer pool 1
dialer-group 1
ppp authentication pap chap callin
ppp chap hostname cisco
ppp chap password 0 cisco123
ppp pap sent-username cisco password 0 cisco123
end
!
interface BDI10
no ip address
pppoe enable group global
pppoe-client dial-pool-number 1
!
ip route 0.0.0.0 0.0.0.0 Dialer1
```

サーバの設定

これは、クライアント側で使用されるプラットフォームに関係なく、すべてのシナリオで同じです。

```
username cisco password 0 cisco123
!
bba-group pppoe global
virtual-template 1
!
interface GigabitEthernet0/0
ip address 192.168.1.1 255.255.255.0
```

```
ip rip advertise 4
load-interval 30
duplex auto
speed auto
pppoe enable group global
!
interface Virtual-Template1
mtu 1492
ip unnumbered GigabitEthernet0/0
peer default ip address pool PPPoE_Pool
ppp authentication pap chap
!
ip local pool PPPoE_Pool 10.1.1.1 10.1.1.100
```

確認

ここでは、設定が正常に機能しているかどうかを確認します。

次のデバッグは、クライアントとサーバの両方で有効になります。

- PPP ネゴシエーションのデバッグ
- debug ppp authentication
- debug ppp error
- debug dialer

クライアント ログ :

```
*Jul 14 20:23:09.486: ppp13 PPP: Phase is ESTABLISHING
*Jul 14 20:23:09.486: Vi2 PPP: Using dialer call direction
*Jul 14 20:23:09.486: Vi2 PPP: Treating connection as a callout
*Jul 14 20:23:09.486: Vi2 PPP: Session handle[6300000D] Session id[13]
*Jul 14 20:23:09.486: Vi2 LCP: Event[OPEN] State[Initial to Starting]
*Jul 14 20:23:09.486: Vi2 PPP: No remote authentication for call-out
*Jul 14 20:23:09.486: Vi2 LCP: O CONFREQ [Starting] id 1 len 10
*Jul 14 20:23:09.486: Vi2 LCP:   MagicNumber 0xB07C8578 (0x0506B07C8578)
*Jul 14 20:23:09.486: Vi2 LCP: Event[UP] State[Starting to REQsent]
*Jul 14 20:23:09.488: Vi2 LCP: I CONFREQ [REQsent] id 1 len 18
*Jul 14 20:23:09.488: Vi2 LCP:   MRU 1492 (0x010405D4)
*Jul 14 20:23:09.488: Vi2 LCP:   AuthProto PAP (0x0304C023)
*Jul 14 20:23:09.488: Vi2 LCP:   MagicNumber 0xED0582E9 (0x0506ED0582E9)
*Jul 14 20:23:09.488: Vi2 LCP: O CONFNAK [REQsent] id 1 len 8
*Jul 14 20:23:09.488: Vi2 LCP:   MRU 1500 (0x010405DC)
*Jul 14 20:23:09.489: Vi2 LCP: Event[Receive ConfReq-] State[REQsent to REQsent]
*Jul 14 20:23:09.489: Vi2 LCP: I CONFACK [REQsent] id 1 len 10
*Jul 14 20:23:09.489: Vi2 LCP:   MagicNumber 0xB07C8578 (0x0506B07C8578)
*Jul 14 20:23:09.489: Vi2 LCP: Event[Receive ConfAck] State[REQsent to ACKrcvd]
*Jul 14 20:23:09.490: Vi2 LCP: I CONFREQ [ACKrcvd] id 2 len 18
*Jul 14 20:23:09.490: Vi2 LCP:   MRU 1500 (0x010405DC)
*Jul 14 20:23:09.490: Vi2 LCP:   AuthProto PAP (0x0304C023)
*Jul 14 20:23:09.490: Vi2 LCP:   MagicNumber 0xED0582E9 (0x0506ED0582E9)
*Jul 14 20:23:09.490: Vi2 LCP: O CONFACK [ACKrcvd] id 2 len 18
*Jul 14 20:23:09.490: Vi2 LCP:   MRU 1500 (0x010405DC)
*Jul 14 20:23:09.490: Vi2 LCP:   AuthProto PAP (0x0304C023)
*Jul 14 20:23:09.490: Vi2 LCP:   MagicNumber 0xED0582E9 (0x0506ED0582E9)
*Jul 14 20:23:09.490: Vi2 LCP: Event[Receive ConfReq+] State[ACKrcvd to Open]
*Jul 14 20:23:09.499: Vi2 PPP: No authorization without authentication
*Jul 14 20:23:09.499: Vi2 PPP: Phase is AUTHENTICATING, by the peer
*Jul 14 20:23:09.499: Vi2 PAP: Using hostname from interface PAP
*Jul 14 20:23:09.499: Vi2 PAP: Using password from interface PAP
*Jul 14 20:23:09.499: Vi2 PAP: O AUTH-REQ id 1 len 19 from "cisco"
```

```

*Jul 14 20:23:09.499: Vi2 LCP: State is Open
*Jul 14 20:23:09.530: Vi2 PAP: I AUTH-ACK id 1 len 5
*Jul 14 20:23:09.530: Vi2 PPP: Phase is FORWARDING, Attempting Forward
*Jul 14 20:23:09.530: Vi2 PPP: Queue IPCP code[1] id[1]
*Jul 14 20:23:09.532: Vi2 PPP: Phase is ESTABLISHING, Finish LCP
*Jul 14 20:23:09.532: Vi2 PPP: Phase is UP
*Jul 14 20:23:09.532: Vi2 IPCP: Protocol configured, start CP. state[Initial]
*Jul 14 20:23:09.532: Vi2 IPCP: Event[OPEN] State[Initial to Starting]
*Jul 14 20:23:09.532: Vi2 IPCP: O CONFREQ [Starting] id 1 len 10
*Jul 14 20:23:09.532: Vi2 IPCP: Address 0.0.0.0 (0x030600000000)
*Jul 14 20:23:09.532: Vi2 IPCP: Event[UP] State[Starting to REQsent]
*Jul 14 20:23:09.532: Vi2 PPP: Process pending ncp packets
*Jul 14 20:23:09.532: Vi2 IPCP: Redirect packet to Vi2
*Jul 14 20:23:09.532: Vi2 IPCP: I CONFREQ [REQsent] id 1 len 10
*Jul 14 20:23:09.532: Vi2 IPCP: Address 192.168.1.1 (0x0306C0A80101)
*Jul 14 20:23:09.533: Vi2 IPCP: O CONFACK [REQsent] id 1 len 10
*Jul 14 20:23:09.533: Vi2 IPCP: Address 192.168.1.1 (0x0306C0A80101)
*Jul 14 20:23:09.533: Vi2 IPCP: Event[Receive ConfReq+] State[REQsent to ACKsent]
*Jul 14 20:23:09.535: Vi2 IPCP: I CONFNAK [ACKsent] id 1 len 10
*Jul 14 20:23:09.535: Vi2 IPCP: Address 10.1.1.1 (0x03060A010101)
*Jul 14 20:23:09.535: Vi2 IPCP: O CONFREQ [ACKsent] id 2 len 10
*Jul 14 20:23:09.535: Vi2 IPCP: Address 10.1.1.1 (0x03060A010101)
*Jul 14 20:23:09.536: Vi2 IPCP: Event[Receive ConfNak/Rej] State[ACKsent to ACKsent]
*Jul 14 20:23:09.537: Vi2 IPCP: I CONFACK [ACKsent] id 2 len 10
*Jul 14 20:23:09.537: Vi2 IPCP: Address 10.1.1.1 (0x03060A010101)
*Jul 14 20:23:09.537: Vi2 IPCP: Event[Receive ConfAck] State[ACKsent to Open]
*Jul 14 20:23:09.562: Vi2 IPCP: State is Open
*Jul 14 20:23:09.562: Di1 IPCP: Install negotiated IP interface address 10.1.1.1
*Jul 14 20:23:09.565: PPPoE : ipfib_encapstr prepared
*Jul 14 20:23:09.566: Di1 Added to neighbor route AVL tree: topoid 0, address 192.168.1.1
*Jul 14 20:23:09.566: Di1 IPCP: Install route to 192.168.1.1
*Jul 14 20:23:09.567: Vi2 DDR: dialer protocol up
*Jul 14 20:23:09.567: PPPoE : ipfib_encapstr prepared
*Jul 14 20:23:09.567: Di1 DDR: dialer protocol up
*Jul 14 20:23:10.235: %LINEPROTO-5-UPDOWN: Line protocol on Interface Virtual-Access2, changed
state to up

```

```

Client#sh pppoe session
1 client session

```

Uniq ID	PPPoE	RemMAC	Port	VT	VA	State
	SID	LocMAC			VA-st	Type
N/A	1	a0ec.f9d8.9dd0 64f6.9d6e.dd3f	BD10	Di1	Vi2 UP	UP

サーバログ :

```

* Jul 15 04:41:18.727: ppp1 PPP: Phase is ESTABLISHING
*Jul 15 04:41:18.727: ppp1 PPP: Using vpn set call direction
*Jul 15 04:41:18.727: ppp1 PPP: Treating connection as a callin
*Jul 15 04:41:18.727: ppp1 PPP: Session handle[BF000001] Session id[1]
*Jul 15 04:41:18.727: ppp1 LCP: Event[OPEN] State[Initial to Starting]
*Jul 15 04:41:18.727: ppp1 PPP LCP: Enter passive mode, state[Stopped]
*Jul 15 04:41:18.735: ppp1 LCP: I CONFREQ [Stopped] id 1 len 10
*Jul 15 04:41:18.735: ppp1 LCP: MagicNumber 0xB07C8578 (0x0506B07C8578)
*Jul 15 04:41:18.735: ppp1 LCP: O CONFREQ [Stopped] id 1 len 18
*Jul 15 04:41:18.735: ppp1 LCP: MRU 1492 (0x010405D4)
*Jul 15 04:41:18.735: ppp1 LCP: AuthProto PAP (0x0304C023)
*Jul 15 04:41:18.735: ppp1 LCP: MagicNumber 0xED0582E9 (0x0506ED0582E9)
*Jul 15 04:41:18.735: ppp1 LCP: O CONFACK [Stopped] id 1 len 10
*Jul 15 04:41:18.735: ppp1 LCP: MagicNumber 0xB07C8578 (0x0506B07C8578)

```

```

*Jul 15 04:41:18.735: ppp1 LCP: Event[Receive ConfReq+] State[Stopped to ACKsent]
*Jul 15 04:41:18.735: ppp1 LCP: I CONFNAK [ACKsent] id 1 len 8
*Jul 15 04:41:18.735: ppp1 LCP: MRU 1500 (0x010405DC)
*Jul 15 04:41:18.735: ppp1 LCP: O CONFREQ [ACKsent] id 2 len 18
*Jul 15 04:41:18.735: ppp1 LCP: MRU 1500 (0x010405DC)
*Jul 15 04:41:18.735: ppp1 LCP: AuthProto PAP (0x0304C023)
*Jul 15 04:41:18.735: ppp1 LCP: MagicNumber 0xED0582E9 (0x0506ED0582E9)
*Jul 15 04:41:18.735: ppp1 LCP: Event[Receive ConfNak/Rej] State[ACKsent to ACKsent]
*Jul 15 04:41:18.739: ppp1 LCP: I CONFACK [ACKsent] id 2 len 18
*Jul 15 04:41:18.739: ppp1 LCP: MRU 1500 (0x010405DC)
*Jul 15 04:41:18.739: ppp1 LCP: AuthProto PAP (0x0304C023)
*Jul 15 04:41:18.739: ppp1 LCP: MagicNumber 0xED0582E9 (0x0506ED0582E9)
*Jul 15 04:41:18.739: ppp1 LCP: Event[Receive ConfAck] State[ACKsent to Open]
*Jul 15 04:41:18.747: ppp1 PPP: Queue PAP code[1] id[1]
*Jul 15 04:41:18.763: ppp1 PPP: Phase is AUTHENTICATING, by this end
*Jul 15 04:41:18.763: ppp1 PAP: Redirect packet to ppp1
*Jul 15 04:41:18.763: ppp1 PAP: I AUTH-REQ id 1 len 19 from "cisco"
*Jul 15 04:41:18.763: ppp1 PAP: Authenticating peer cisco
*Jul 15 04:41:18.763: ppp1 PPP: Phase is FORWARDING, Attempting Forward
*Jul 15 04:41:18.763: ppp1 LCP: State is Open
*Jul 15 04:41:18.763: ppp1 PPP: Phase is AUTHENTICATING, Unauthenticated User
*Jul 15 04:41:18.763: ppp1 PPP: Sent PAP LOGIN Request
*Jul 15 04:41:18.763: ppp1 PPP: Received LOGIN Response PASS
*Jul 15 04:41:18.763: ppp1 IPCP: Authorizing CP
*Jul 15 04:41:18.763: ppp1 IPCP: CP stalled on event[Authorize CP]
*Jul 15 04:41:18.763: ppp1 IPCP: CP unstall
*Jul 15 04:41:18.763: ppp1 PPP: Phase is FORWARDING, Attempting Forward
*Jul 15 04:41:18.775: Vi1.1 PPP: Phase is AUTHENTICATING, Authenticated User
*Jul 15 04:41:18.775: Vi1.1 PAP: O AUTH-ACK id 1 len 5
*Jul 15 04:41:18.775: Vi1.1 PPP: Phase is UP
*Jul 15 04:41:18.775: Vi1.1 IPCP: Protocol configured, start CP. state[Initial]
*Jul 15 04:41:18.775: Vi1.1 IPCP: Event[OPEN] State[Initial to Starting]
*Jul 15 04:41:18.775: Vi1.1 IPCP: O CONFREQ [Starting] id 1 len 10
*Jul 15 04:41:18.775: Vi1.1 IPCP: Address 192.168.1.1 (0x0306C0A80101)
*Jul 15 04:41:18.779: Vi1.1 IPCP: Event[UP] State[Starting to REQsent]
*Jul 15 04:41:18.779: Vi1.1 IPCP: I CONFREQ [REQsent] id 1 len 10
*Jul 15 04:41:18.779: Vi1.1 IPCP: Address 0.0.0.0 (0x030600000000)
*Jul 15 04:41:18.783: Vi1.1 IPCP AUTHOR: Start. Her address 0.0.0.0, we want 0.0.0.0
*Jul 15 04:41:18.783: Vi1.1 IPCP AUTHOR: Done. Her address 0.0.0.0, we want 0.0.0.0
*Jul 15 04:41:18.783: Vi1.1 IPCP: Pool returned 10.1.1.1
*Jul 15 04:41:18.783: Vi1.1 IPCP: O CONFNAK [REQsent] id 1 len 10
*Jul 15 04:41:18.783: Vi1.1 IPCP: Address 10.1.1.1 (0x03060A010101)
*Jul 15 04:41:18.783: Vi1.1 IPCP: Event[Receive ConfReq-] State[REQsent to REQsent]
*Jul 15 04:41:18.783: Vi1.1 IPCP: I CONFACK [REQsent] id 1 len 10
*Jul 15 04:41:18.783: Vi1.1 IPCP: Address 192.168.1.1 (0x0306C0A80101)
*Jul 15 04:41:18.783: Vi1.1 IPCP: Event[Receive ConfAck] State[REQsent to ACKrcvd]
*Jul 15 04:41:18.783: Vi1.1 IPCP: I CONFREQ [ACKrcvd] id 2 len 10
*Jul 15 04:41:18.783: Vi1.1 IPCP: Address 10.1.1.1 (0x03060A010101)
*Jul 15 04:41:18.783: Vi1.1 IPCP: O CONFACK [ACKrcvd] id 2 len 10
*Jul 15 04:41:18.783: Vi1.1 IPCP: Address 10.1.1.1 (0x03060A010101)
*Jul 15 04:41:18.783: Vi1.1 IPCP: Event[Receive ConfReq+] State[ACKrcvd to Open]
*Jul 15 04:41:18.795: Vi1.1 IPCP: State is Open
*Jul 15 04:41:18.795: Vi1.1 Added to neighbor route AVL tree: topoid 0, address 10.1.1.1
*Jul 15 04:41:18.795: Vi1.1 IPCP: Install route to 10.1.1.1

```

```

Server#show pppoe session
  1 session in LOCALLY_TERMINATED (PTA) State
  1 session total

```

Uniq ID	PPPoE SID	RemMAC LocMAC	Port	VT	VA VA-st	State Type
1	1	64f6.9d6e.dd3f a0ec.f9d8.9dd0	Gi0/0	1	Vi1.1 UP	PTA

トラブルシュート

ここでは、設定のトラブルシューティングに使用できる情報を示します。

標準のPPPトラブルシューティング[手順に従います](#)。

注：BDIインターフェイスが設定されておらず、PPPoE Client Configurationがギガビットイーサネットインターフェイスに適用されている場合、PPPoEセッションが確立されず、このエラーメッセージが表示されます。

```
padi timer expired  
Sending PADI: Interface = GigabitEthernet0/0/1
```

関連情報

- [PPPoEクライアントの設定](#)
- [PPP over Ethernetクライアント](#)
- [テクニカル サポートとドキュメント – Cisco Systems](#)