



INDEX

- E
- EXEC モード コマンド
- cd 3-3
 - clear 3-4
 - clock 3-6
 - cms 3-7
 - configure 3-10
 - copy cdrom 3-11
 - copy compactflash 3-12
 - copy disk 3-13
 - copy ftp 3-14
 - copy http 3-18
 - copy running-config 3-23
 - copy startup-config 3-24
 - copy sysreport 3-25
 - copy system-status 3-26
 - copy tech-support 3-27
 - copy tftp 3-28
 - cpfile 3-29
 - debug 3-30
 - delfile 3-35
 - deltree 3-36
 - dir 3-37
 - disable 3-38
 - disk 3-39
 - dnslookup 3-43
 - enable 3-44
 - exit 3-45
 - find-pattern 3-46
 - help 3-48
 - install 3-49
 - less 3-50
 - lls 3-51
 - ls 3-52
 - mkdir 3-53
 - mkfile 3-54
 - ntpdate 3-55
 - ping 3-56
 - pwd 3-57
 - reload 3-58
 - rename 3-59
 - restore 3-60
 - rmdir 3-64
 - scp 3-65
 - script 3-66
 - setup 3-67
 - show aaa accounting 3-68
 - show adapter 3-69
 - show alarms 3-70
 - show arp 3-73
 - show authentication 3-74
 - show auto-register 3-75
 - show banner 3-76
 - show bypass 3-77
 - show cdp 3-78
 - show clock 3-80
 - show cms 3-83
 - show debugging 3-84
 - show device-mode 3-85
 - show disks 3-87
 - show flash 3-90
 - show hardware 3-91
 - show hosts 3-92
 - show inetd 3-93
 - show interface 3-94
 - show inventory 3-97
 - show ip access-list 3-98
 - show ip routes 3-100
 - show kerberos 3-101
 - show logging 3-102
 - show memory 3-103
 - show ntp 3-104
 - show policy-engine application 3-105
 - show policy-engine status 3-107
 - show print-services 3-108
 - show processes 3-109
 - show radius-server 3-111
 - show running-config 3-112

show services 3-113
 show smb-conf 3-114
 show snmp 3-116
 show ssh 3-121
 show standby 3-122
 show startup-config 3-123
 show statistics authentication 3-124
 show statistics content-distribution-network 3-125
 show statistics dre 3-126
 show statistics dre connection 3-127
 show statistics dre peer 3-128
 show statistics epm 3-129
 show statistics icmp 3-130
 show statistics ip 3-131
 show statistics netstat 3-132
 show statistics radius 3-133
 show statistics services 3-134
 show statistics snmp 3-135
 show statistics tacacs 3-136
 show statistics tcp 3-137
 show statistics tfo 3-139
 show statistics udp 3-141
 show statistics wccp 3-142
 show statistics windows-domain 3-147
 show sysfs 3-148
 show tacacs 3-149
 show tcp 3-150
 show tech-support 3-151
 show telnet 3-154
 show tfo accelerators 3-155
 show tfo auto-discovery 3-156
 show tfo bufpool 3-158
 show tfo connection 3-159
 show tfo filtering 3-160
 show tfo status 3-162
 show tfo synq 3-163
 show transaction-logging 3-164
 show user 3-165
 show users administrative 3-166
 show version 3-167
 show wccp 3-168
 show windows-domain 3-174
 shutdown 3-175
 snmp trigger 3-178
 ssh 3-181
 tcpdump 3-182

telnet 3-183
 terminal 3-184
 tethereal 3-185
 traceroute 3-186
 transaction-log 3-187
 type 3-188
 type-tail 3-189
 undebug 3-191
 wafs 3-195
 whoami 3-196
 windows-domain 3-197
 write 3-200

い

インターフェイス コンフィギュレーション モード コマンド

(config-if) autosense 3-360
 (config-if) bandwidth 3-361
 (config-if) cdp 3-362
 (config-if) exit 3-363
 (config-if) failover timeout 3-364
 (config-if) full-duplex 3-365
 (config-if) half-duplex 3-366
 (config-if) inline 3-367
 (config-if) ip 3-369
 (config-if) ip access-group 3-371
 (config-if) mtu 3-372
 (config-if) no 3-373
 (config-if) shutdown 3-375
 (config-if) standby 3-376

か

拡張 ACL コンフィギュレーション モード コマンド

(config-ext-nacl) delete 3-395
 (config-ext-nacl) deny 3-396
 (config-ext-nacl) exit 3-400
 (config-ext-nacl) list 3-401
 (config-ext-nacl) move 3-402
 (config-ext-nacl) permit 3-403

こ

コンフィギュレーション モード コマンド
 (config) aaa accounting 3-202

- (config) adapter 3-205
- (config) alarm overload-detect 3-206
- (config) asset 3-207
- (config) authentication 3-208
- (config) auto-register 3-213
- (config) banner 3-215
- (config) bypass 3-218
- (config) cdp 3-220
- (config) central-manager 3-221
- (config) clock 3-225
- (config) cms 3-229
- (config) device mode 3-231
- (config) disk 3-233
- (config) end 3-235
- (config) exec-timeout 3-236
- (config) exit 3-237
- (config) external-ip 3-238
- (config) help 3-240
- (config) hostname 3-241
- (config) inetd 3-242
- (config) interface 3-243
- (config) ip 3-250
- (config) ip access-list 3-253
- (config) kerberos 3-256
- (config) kernel 3-258
- (config) line 3-259
- (config) logging 3-260
- (config) no 3-264
- (config) ntp 3-266
- (config) policy-engine application classifier 3-267
- (config) policy-engine application map adaptor EPM 3-269
- (config) policy-engine application map adaptor WAFS transport 3-271
- (config) policy-engine application map basic delete 3-273
- (config) policy-engine application map basic disable 3-274
- (config) policy-engine application map basic insert 3-275
- (config) policy-engine application map basic list 3-276
- (config) policy-engine application map basic move 3-277
- (config) policy-engine application map basic name 3-278
- (config) policy-engine application map other optimize DRE 3-280
- (config) policy-engine application map other optimize full 3-282
- (config) policy-engine application map other pass-through 3-283
- (config) policy-engine application name 3-284
- (config) policy-engine config 3-286
- (config) port-channel 3-287
- (config) primary-interface 3-288
- (config) print-services 3-290
- (config) radius-server 3-293
- (config) smb-conf 3-295
- (config) snmp-server access-list 3-299
- (config) snmp-server community 3-300
- (config) snmp-server contact 3-302
- (config) snmp-server enable traps 3-303
- (config) snmp-server group 3-306
- (config) snmp-server host 3-308
- (config) snmp-server location 3-310
- (config) snmp-server mib 3-311
- (config) snmp-server notify inform 3-313
- (config) snmp-server user 3-314
- (config) snmp-server view 3-316
- (config) sshd 3-317
- (config) ssh-key-generate 3-320
- (config) tacacs 3-321
- (config) tcp 3-324
- (config) telnet enable 3-326
- (config) tfo auto-discovery 3-327
- (config) tfo optimize 3-328
- (config) tfo tcp keepalive 3-329
- (config) tfo tcp optimized-mss 3-330
- (config) tfo tcp optimized-receive-buffer 3-331
- (config) tfo tcp optimized-send-buffer 3-332
- (config) tfo tcp original-mss 3-333
- (config) tfo tcp original-receive-buffer 3-334
- (config) tfo tcp original-send-buffer 3-335
- (config) transaction-logs 3-336
- (config) username 3-343
- (config) wccp access-list 3-346
- (config) wccp flow-redirect 3-349
- (config) wccp router-list 3-350
- (config) wccp shutdown 3-351
- (config) wccp slow-start 3-353
- (config) wccp tcp-promiscuous 3-354
- (config) wccp version 3-356
- (config) windows-domain 3-357

ひ

標準 ACL コンフィギュレーションモード コマンド

(config-std-nacl) delete	3-384
(config-std-nacl) deny	3-385
(config-std-nacl) exit	3-387
(config-std-nacl) list	3-388
(config-std-nacl) move	3-389
(config-std-nacl) permit	3-390