

Google Suite에서 SMTP 서버를 사용하여 UCSD 6.0 구성

목차

[소개](#)

[사전 요구 사항](#)

[요구 사항](#)

[사용되는 구성 요소](#)

[배경 정보](#)

[구성](#)

[다음을 확인합니다.](#)

[문제 해결](#)

[관련 정보](#)

소개

이 문서에서는 Google G Suite에서 SMTP(Simple Mail Transfer Protocol) 서버를 사용하여 이메일을 전송하도록 Cisco UCS(Unified Computing Solutions) Director(UCSD) 6.0.0.0을 구성하는 방법에 대해 설명합니다.

사전 요구 사항

요구 사항

다음 주제에 대한 지식을 보유하고 있으면 유용합니다.

- Google Suite 솔루션 관리
- SMTP 보안 및 구성에 대한 기본 지식

사용되는 구성 요소

이 문서는 특정 소프트웨어 버전으로 제한되지 않지만 이 문서의 정보는 UCS Director 6.0을 기반으로 합니다.

이 문서의 정보는 특정 랩 환경의 디바이스를 토대로 작성되었습니다. 이 문서에 사용된 모든 디바이스는 초기화된(기본) 컨피그레이션으로 시작되었습니다. 현재 네트워크가 작동 중인 경우, 모든 명령어의 잠재적인 영향을 미리 숙지하시기 바랍니다.

배경 정보

G Suite에 대한 Google 지원 페이지를 보면 3개의 다른 smtp 서버를 제공합니다. UCSD 6.0은 SSL/TLS를 지원하지 않으므로, 남아 있는 옵션은 smtp-relay.gmail.com과 포트 25를 사용하거나

aspmx.l.google.com과 포트 25를 함께 사용할 수 있습니다.

구성

사용자 이름과 비밀번호는 G Suite 도메인 내의 유효한 사용자여야 하며, 이 이미지에 표시된 대로 적절한 구성을 설정해야 합니다.

System

License Status System Information **Mail Setup** System Parameters Infrastructure System Parameters

Outgoing Email Server (SMTP)	<input type="text" value="smtp-relay.gmail.com"/>	✦
Outgoing SMTP Port	<input type="text" value="25"/>	✦
Outgoing SMTP User	<input type="text" value="user@example.net"/>	
Outgoing SMTP Password	<input type="password" value="*****"/>	
Outgoing Email Sender Email Address	<input type="text" value="noreply@example.net"/>	✦
Server IP Address	<input type="text" value="37.142.176.102"/>	✦
	<input checked="" type="checkbox"/> Send Test Email	
Test Email Address	<input type="text" value="user@example.net"/>	✦

Save


다음을 확인합니다.

Save(저장)를 선택한 후 Test Email Address(이메일 주소 테스트)에서 UCS Directory(UCS 디렉토리) 상자의 이메일을 수신합니다.

문제 해결

이 섹션에서는 컨피그레이션 문제를 해결하는 데 사용할 수 있는 정보를 제공합니다.

오류 SMTP 서버가 다운되었거나 연결할 수 없습니다.



inframgr-log.txt 로그에서 이러한 오류 중 하나를 확인합니다.

smtp-relay.gmail.com 오류

```
2017-08-23 07:50:01,417 [ORP-1-24] INFO doFormSubmit(MailSettingsForm.java:157) - Mail settings saved successfully
2017-08-23 07:50:01,420 [ORP-1-24] INFO sendTestEmail(MailSettingsForm.java:314) - Sending test email
2017-08-23 07:50:01,423 [ORP-1-24] INFO sendTestEmail(MailSettingsForm.java:348) - Initiating authenticated session
2017-08-23 07:50:03,152 [ORP-1-24] ERROR doFormSubmit(MailSettingsForm.java:175) - Test email failed
com.sun.mail.smtp.SMTPSendFailedException: 550-5.7.1 [XXX.YYY.ZZZ.ZZZ 1] Our system has detected an unusual rate of
550-5.7.1 unsolicited mail originating from your IP address. To protect our
550-5.7.1 users from spam, mail sent from your IP address has been blocked.
550-5.7.1 Please visit
550-5.7.1 https://support.google.com/mail/?p=UnsolicitedIPError to review our
550 5.7.1 Bulk Email Senders Guidelines. q71si912001wmd.271 - gsmtpt

at com.sun.mail.smtp.SMTPTransport.issueSendCommand(SMTPTransport.java:1668)
at com.sun.mail.smtp.SMTPTransport.finishData(SMTPTransport.java:1473)
at com.sun.mail.smtp.SMTPTransport.sendMessage(SMTPTransport.java:738)
at com.cloupia.feature.systemsettings.MailSettingsForm.sendTestEmail(MailSettingsForm.java:377)
at com.cloupia.feature.systemsettings.MailSettingsForm.doFormSubmit(MailSettingsForm.java:171)
at com.cloupia.service.cIM.inframgr.APIProvider.doFormSubmit(APIProvider.java:1311)
at sun.reflect.GeneratedMethodAccessor795.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:497)
at com.cloupia.fw.services.provider.ServiceProvider.executeOperation(ServiceProvider.java:758)
at
com.cloupia.fw.services.provider.OperationRequestProcessor.run(OperationRequestProcessor.java:97)
)
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
at java.lang.Thread.run(Thread.java:745)
```

또는

aspmx.l.google.comerror의 경우

```
2017-08-23 07:43:17,605 [ORP-1-20] INFO doFormSubmit(MailSettingsForm.java:157) - Mail settings saved successfully
2017-08-23 07:43:17,605 [ORP-1-20] INFO sendTestEmail(MailSettingsForm.java:314) - Sending test email
2017-08-23 07:43:17,606 [ORP-1-20] INFO sendTestEmail(MailSettingsForm.java:348) - Initiating authenticated session
2017-08-23 07:43:18,162 [ORP-1-20] ERROR doFormSubmit(MailSettingsForm.java:175) - Test email failed
com.sun.mail.smtp.SMTPSendFailedException: 550-5.7.0 Mail relay denied [XXX.YYY.ZZZ.ZZZ]. Invalid credentials for relay for
550-5.7.0 one of the domains in: (as obtained from HELO and MAIL FROM).
550-5.7.0 Email is being sent from a domain or IP address which isn't registered
550-5.7.0 in your G Suite account. Please login to your G Suite account and
550-5.7.0 verify that your sending device IP address has been registered within
550-5.7.0 the G Suite SMTP Relay Settings. For more information, please visit
550 5.7.0 https://support.google.com/a/answer/6140680#maildenied w206sm117434wmd.7 - gsmtpt

at com.sun.mail.smtp.SMTPTransport.issueSendCommand(SMTPTransport.java:1668)
at com.sun.mail.smtp.SMTPTransport.mailFrom(SMTPTransport.java:1207)
at com.sun.mail.smtp.SMTPTransport.sendMessage(SMTPTransport.java:735)
at com.cloupia.feature.systemsettings.MailSettingsForm.sendTestEmail(MailSettingsForm.java:377)
at com.cloupia.feature.systemsettings.MailSettingsForm.doFormSubmit(MailSettingsForm.java:171)
at com.cloupia.service.cIM.inframgr.APIProvider.doFormSubmit(APIProvider.java:1311)
at sun.reflect.GeneratedMethodAccessor795.invoke(Unknown Source)
at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:497)
at com.cloupia.fw.services.provider.ServiceProvider.executeOperation(ServiceProvider.java:758)
at
com.cloupia.fw.services.provider.OperationRequestProcessor.run(OperationRequestProcessor.java:97)
)
at java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
at java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
at java.lang.Thread.run(Thread.java:745)
```

관련 정보

G Suite 도움말: <https://support.google.com/a/answer/176600>