RV042, RV042G ë°� RV082 VPN Routerì�~ VPN ���ì-¸íЏ ì•¡ì,,¸ìФ를 ìœ,,한 ��ì,,œ 관리

 $\hat{e}_{,}^{\circ}i,\neg e,\hat{i}s@i \spadesuit' if^{\hat{i}}e_{,}i^{1}\tilde{e}_{i}ee i \spadesuit' e \spadesuit^{\text{\tiny TM}}e \spadesuit^{\tilde{i}}-\hat{i}\mathring{S}\mu e^{\hat{i}}e^{\hat{i}}e_{,}i^{1}\tilde{e}_{,}eei-\Phi$ $i\bullet_{i}i_{,,,i}\mathring{S}\mu e^{\hat{i}}e^{\hat{i}}ee^{\hat$

<u>RV042, RV042G ë°</u> **Q** RV082 VPN Routeri **Q** ~ VPN (**Q** ′ ë **Q** ¼ì **Q** ′ ì – (Š, ë° **Q** ì **Q**) i † (**Q**) i ... œ ê′ € ë ¦ ¬ ì,, ¤ì •

이 번역에 관하여

Cisco는 전 세계 사용자에게 다양한 언어로 지원 콘텐츠를 제공하기 위해 기계 번역 기술과 수작업 번역을 병행하여 이 문서를 번역했습니다. 아무리 품질이 높은 기계 번역이라도 전문 번역가의 번 역 결과물만큼 정확하지는 않습니다. Cisco Systems, Inc.는 이 같은 번역에 대해 어떠한 책임도 지지 않으며 항상 원본 영문 문서(링크 제공됨)를 참조할 것을 권장합니다.