

# Cisco Virtual Voice browser CLI-opdrachten

## Inhoud

[Inleiding](#)

[Opdrachten](#)

## Inleiding

Dit document beschrijft opdrachten die handig zijn om problemen op te lossen in VVB (Cisco Virtual Voice browser)-opdrachtregel interface (CLI).

Cisco VB biedt CLI als alternatief voor de webbeheerpagina om het systeem te configureren en problemen op te lossen. CLI bevat opdrachten van het Cisco Voice Operating System-Based (VOS) platform.

## Opdrachten

Bladeren met grootte

Start de opdracht om de grootte van vvb cache te controleren

**Vvb cache browser\_cache\_size**

```
admin:show vvb cache browser_cache_size
512000 KB
Command successful.
admin:█
```

Max. bestandsgrootte

Start deze opdracht om het grootste bestand in het VVB cache te vinden

**vvb cache max\_file\_size**

```
admin:show vvb cache max_file_size
500 KB
Command successful.
admin:█
```

URL-ingang

Als u URL van het .wav-bestand hebt, kunt u deze opdracht uitvoeren om de details van de URL te zien

**VVB cache\_entry <cache\_entry\_url> tonen**

```

admin:show vvb cache cache_entry http://10.64.82.233:7000/CVP/audio/record_greeting.wav
EntryType          : File
Cache Entry        : http://10.64.82.233:7000/CVP/audio/record_greeting.wav
Reference          : 0
Size               : 49148 Bytes
Age                : 08 hours:30 minutes:55 seconds
FreshTime         : 0
CreationTime      : 24/06/2015 22:22:46
Stale flag        : false
Command successful.

```

Lijst met .wav-URL die in VVB is gecached

VVB cache\_entry <start\_index><end\_index> tonen

```

admin:show vvb cache cache_entries 1 15
Total Cache size: 10000 KB
Total Cache size used: 1037 KB
MaxFileSize: 8000 KB
Total number of Cache Entries: 73
Number of Entries retrieved: 15
EntryType      Reference      Size(Bytes)      Cache Entry
-----
File           0              61566           http://10.64.82.233:80/en-us/app/press1-press2-press3-DTMF1.wav
File           0              49148           http://10.64.82.233:7000/CVP/audio/record_greeting.wav
File           0              5564            http://10.64.82.233:80/en-us/sys/18.wav
File           0              11236           http://10.64.82.233:80/es-mx/sys/37.wav
File           0              5134            http://10.64.82.233:80/es-mx/sys/c.wav
File           0              6756            http://10.64.82.233:80/en-us/sys/thousand.wav
File           0              31882           http://10.64.82.233:80/en-us/sys/WelcomeWA_Star.wav
File           0              4364            http://10.64.82.233:80/en-us/sys/e.wav
File           0              7644            http://10.64.82.233:80/en-us/sys/33.wav
File           0              7406            http://10.64.82.233:80/es-mx/sys/3.wav
File           0              33826           http://10.64.82.233/en-us/app/ringback.wav
File           0              4970            http://10.64.82.233:80/en-us/sys/9.wav
File           0              6092            http://10.64.82.233:80/en-us/sys/6.wav
File           0              7054            http://10.64.82.233:80/en-us/sys/trillion.wav
File           0              8260            http://10.64.82.233:80/es-mx/sys/2.wav
Command successful.

```

Deze opdracht toont aantal actieve oproepen in VB

De samenvatting van actieve stem van vb-oproepen tonen

```

admin:show vvb call active voice summary
      Total Concurrent Calls = 1
      Total CPS = 0.1
          Ringtone CPS = 0.0
          Whisper CPS = 0.0
          Agent Greeting CPS = 0.0
          Others CPS = 0.1

Command successful.
admin:

```

Hier zie je de opdrachten in cisco VB die in VXML-gateway werden gebruikt:

Command for	VXML Gateway CLI Command	Cisco VVB CLI Command
To display call information for voice calls in progress	show call active voice	show vvb call active voice summary
To display information about cache entries	show http client cache	show vvb cache cache_entries
To display image version	show version	show vvb version (this is vos specific command and also comes into picture for upgrades)

Meer informatie is te vinden op:

[https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/cust\\_contact/contact\\_center/cisco\\_vvb/vvb\\_11\\_0/operations/guide/CVVB\\_BK\\_OD58C870\\_00\\_operations-guide-for-cisco-virtualized.pdf](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cust_contact/contact_center/cisco_vvb/vvb_11_0/operations/guide/CVVB_BK_OD58C870_00_operations-guide-for-cisco-virtualized.pdf)