

UTF-8 (IDN) domeinnamen in 14.X configureren

Inhoud

[Inleiding](#)

[Vereisten](#)

[Gebruikte componenten](#)

[Talen ondersteund in 14.x voor ISDN-ondersteuning](#)

[Regionale talen van India](#)

[Europese/Aziatische talen](#)

[IDN-ondersteunde indelingen](#)

[Waar wordt IDN ondersteund?](#)

[MTP-routers](#)

[DNS-velden](#)

[Luisteraar - RAT/HAT](#)

[Inkomend/uitgaand postbeleid - verzendende/ontvangende instantie](#)

[Uitzonderingstabel](#)

[Adreslijsten](#)

[Bestemmingscontroles](#)

[Bounce profielen](#)

[LDAP](#)

[Lokale Spam Quarantine](#)

[Verificatie en probleemoplossing](#)

[Gerelateerde informatie](#)

Inleiding

In dit document wordt beschreven hoe u de nieuwe UTF-8 International Domain Name (IDN)-functie (IDN) kunt configureren en gebruiken die aan Secure Email Gateway (ESA) en Secure Email Cloud Gateway (CES) is toegevoegd in de 14.x-code

Bijgedragen door Anvitha Prabhu en Libin Varghese, Cisco TAC Engineer.

Vereisten

Cisco raadt kennis van de volgende onderwerpen aan:

ESA-concepten en -configuratie

Gebruikte componenten

De informatie in dit document is gebaseerd op AsyncOS voor het ESR 14.0 en hoger.

De informatie in dit document is gebaseerd op de apparaten in een specifieke laboratoriumomgeving. Alle apparaten die in dit document worden beschreven, hadden een opgeschoonde (standaard)configuratie. Als uw netwerk levend is, zorg er dan voor dat u de mogelijke impact van om het even welke opdracht begrijpt.

Talen ondersteund in 14.x voor ISDN-ondersteuning

Indische regionale talen

Hindi, Tamil, Telugu, Kannada, Marati, Punjabi, Malayalam, Bengali, Gujarati, Urdu, Assamese, Nepal Bangla, Bodo, Dogri, Kashmir, Konkani, Maithili, Manipuri, Oriya, Sanskrit, Santali, Sindhi en Tulu.

Europese/Aziatische talen

Frans, Russisch, Japans, Duits, Oekraïens, Koreaans, Spaans, Italiaans, Chinees, Nederlands, Thais, Arabisch, Kazachs

IDN-ondersteunde indelingen

- Volledig IDN Volledig IDN अ@जीन.अ.न्.domein, ता het nummer van het nummer #66666.1
- Gedeeltelijk IDN-domein: .को म, ಯೂ ಹೂ.ಜೆಸಿಎ
- ASCII, IDN combinatie: test@जी मे ल.को म

Waar wordt IDN ondersteund?

MTP-routers

Navigeren in naar netwerk -> MTP-routers -> Toevoegen -> Toevoegen van het IDN-domein -> Inzenden -> Commit

Mode —Cluster: ESA_BETA_CLUSTER Change Mode...

Centralized Management Options

SMTP Route Settings

Receiving Domain: ?	जीमेल.कोम			
Destination Hosts:	Priority ?	Destination ?	Port	Add Row
	0	10.1.1.1	25	
		<small>(Hostname, IPv4 or IPv6 address.)</small>		
Outgoing SMTP Authentication:	No outgoing SMTP authentication profiles are configured. See Network > SMTP Authentication			

Note: DANE will not be enforced for domains that have SMTP Routes configured.

Cancel Submit

DNS-velden

We kunnen IDN-domeinen in DNS-servers toevoegen of bewerken.

Navigeren in op netwerk -> DNS -> Instellingen bewerken -> **Voeg het IDN-domein toe** onder "alternatieve DNS-serverovergangen"

Mode —Cluster: ESA_BETA_CLUSTER Change Mode...

Centralized Management Options

DNS Server Settings

DNS Servers: Use these DNS Servers

Priority ?	Server IP	Add Row
0	10.0.201.2	<input type="button" value="Add Row"/>
1	10.0.201.12	<input type="button" value="Add Row"/>

Alternate DNS servers Overrides (Optional):

Domain(s)	DNS Server IP Address	Add Row
जीमिन.कॉम <i>i.e., example.com, example2.com</i>	10.1.1.4 <i>i.e., 10.0.0.3</i>	<input type="button" value="Add Row"/>

Use the Internet's Root DNS Servers

Alternate DNS servers Overrides (Optional):

Domain	DNS Server FQDN	DNS Server IP Address	Add Row
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="button" value="Add Row"/>
<i>i.e., example.com</i>	<i>i.e., dns.example.com</i>	<i>i.e., 10.0.0.3</i>	<input type="button" value="Add Row"/>

Interface for DNS Traffic:

Wait Before Timing out Reverse DNS Lookups:

OPMERKING:

- Publieke IDN-domeinen worden opgelost door DNS-server met de openbare/internetwortel.
- Lokale IDN-gebieden: Voer in een lokale DNS-server zone bestanden in met records in snelcodeformaat, vergelijkbaar met IDN-domeinen [bijvoorbeeld: xn—2scrj9c.xn—2scrj9c.] om de resolutie van lokale IDN domeinnamen te behandelen.

Luisteraar - RAT/HAT

We kunnen IDN-ondersteuning gebruiken in:

- Ingebonden/Uitgaande Lijsten -> Toevoegen/Bewerken IDN-domeinen in Standaarddomein
- HAT/RAT -> ISDN-domeinen toevoegen/bewerken in HAT/RAT
- HAT/RAT-tabellen importeren/exporteren met IDN's

U kunt de zinnvolle toegangstabel (RAT) met IDN configureren, navigeren naar e-mailbeleid -> zinnvolle toegangstabel (RAT) en op Add Content klikken -> Add Domain -> Submit -> Commit

Recipient Access Table Overview

Success — Recipient Access Table entry for "जिमेिल.कोम" was added.

Mode — Cluster: ESA_BETA_CLUSTER Change Mode...

Centralized Management Options

Overview for Listener: Incoming Items per page 20

Add Recipient... Clear All Entries Import RAT...

Order	Recipient Address	Default Action	All Delete
1	humaaralab.com	Accept	<input type="checkbox"/>
2	doosralab.com	Accept	<input type="checkbox"/>
3	जिमेिल.कोम	Accept	<input type="checkbox"/>
All Other Recipients		Reject	

Edit Order... Export RAT... Delete

Om de groepen Host Access Tabel (HAT) verzenden met IDN-domeinen te configureren, navigeer dan naar beleid per e-mail -> HAT-overzicht -> Nieuwe verzender-groep toevoegen -> Verzenden en toevoegen van zenders met IDN-hostnaam -> Inzenden -> Commit

Sender Group: IDN_Support - Incoming

Success — Sender "जीमेल.कोम" was added.

Mode — Cluster: ESA_BETA_CLUSTER

Change Mode...

▸ Centralized Management Options

Sender Group Settings

Name:	IDN_Support
Order:	9
Comment:	IDN Support
Policy:	ACCEPTED
SBRS (Optional):	Not in use
External Threat Feed (Optional): <i>For IP lookups only</i>	None
DNS Lists (Optional):	None
Connecting Host DNS Verification:	None Included

<< Back to HAT Overview

Edit Settings...

Find Senders

Find Senders that Contain this Text: ?

Find

Sender List: Display All Items in List

Items per page 20

Add Sender...

Sender	Comment	All Delete
जीमेल.कोम	idn sender	<input type="checkbox"/>

<< Back to HAT Overview

Delete

OPMERKING: U kunt hetzelfde proces volgen om een willekeurige groep te bewerken en de IDN-velden toe te voegen.

Inkomend/uitgaand postbeleid - verzendende/ontvangende instantie

Om het beleid voor inkomende e-mail te configureren om IDN te verwerken, navigeer dan naar **e-mailbeleid** -> **Toevoegen beleid** -> Beleidsnaam opgeven -> **Gebruikers toevoegen**

U kunt ervoor kiezen IDN-domeinen in zowel Sender/ontvanger te gebruiken of elke combinatie te proberen ->Indienen ->Commit

Incoming Mail Policies

Mode --Cluster: ESA_BETA_CLUSTER

Change Mode...

> Centralized Management Options

Add User

Any Sender

Following Senders

Following Senders are Not

Email Address:

@example.com

(e.g. user@example.com, user@, @example.com, @.example.com)

LDAP Group:

Query: LDAP.group

Group:

Add Group

Remove

Any Recipient

Following Recipients

example@example.com

(e.g. user@example.com, user@, @example.com, @.example.com)

Cisco Security Awareness not configured.

LDAP Group:

Query: LDAP.group

Group:

Add Group

Remove

Following Recipients are Not

Email Address:

(e.g. user@example.com, user@, @example.com, @.example.com)

LDAP Group:

Query: LDAP.group

Group:

Add Group

Remove

Cancel

OK

Add Incoming Mail Policy

Mode —Cluster: ESA_BETA_CLUSTER Change Mode...

Centralized Management Options

Add Policy

Policy Name:
(e.g. my IT policy)

Insert Before Policy:

Users

Sender	Recipients	Edit:	Delete
@नीमेल.कॉम	example@example.com	<input type="button" value="Edit"/>	<input type="button" value="Delete"/>

OPMERKING: U kunt hetzelfde proces volgen voor een uitgaand postbeleid.

Uitzonderingstabel

Om IDN-domeinnamen aan de Tabel van de Uitzondering toe te voegen, navigeer om

Mail-beleid -> ExceptIEKabel -> Sender-verificatie toevoegen -> Voeg de IDN-velden toe -> Indienen -> Commisie

Add Sender Verification Exception

Mode —Cluster: ESA_BETA_CLUSTER Change Mode...

Centralized Management Options

Sender Verification Exception

Exception:
(e.g.: user@example.com, user@, @example.com, @.example.com, @[1.2.3.4])

Order: (of 1)

Behavior: Allow
 Reject

SMTP Code:

SMTP Text:

Monitor Mail Policies Security Services Network System Administration

Sender Verification Exception Table

Success — Entry was added

Mode —Cluster: ESA_BETA_CLUSTER Change Mode...

Centralized Management Options

Find Sender Verification Exception

Search for Email Address: ? Find

Sender Verification Exception Table

Add Sender Verification Exception... Clear All Sender Verification Exceptions

Order	Exception	Behavior	SMTP Response	Delete
1	@ಜಿಮೇಲ್.ಕೊಮ	Allow	N/A	

Adreslijsten

Als u IDN-domeinnamen aan adreslijst wilt toevoegen, navigeer dan naar

Mail Policy -> adreslijst -> adreslijst toevoegen -> Voer de IDN-domeinen in het vakje -> Inzenden -> Commisie

Monitor Mail Policies Security Services Network System Administration

Add Address List

Mode —Cluster: ESA_BETA_CLUSTER Change Mode...

Centralized Management Options

New Address List Details

Address List Name: IDN-Support

Description: IDN-Support-test

List Type:

- Full Email Addresses only
- Domains only
- IP Addresses only
- All of the above

Addresses:

ಜಿಮೇಲ್.ಕೊಮ, ಅಸ್ತಿತ್ವ@ಯಾಹೂ.ಮೊಕೆ, @ಮಾಡುತ್ಯುರ

 e.g.: user@example.com, user@, @example.com, @[1.2.3.4], @.example.com

Cancel Submit

Address Lists

Mode — Cluster: **ESA_BETA_CLUSTER** Change Mode...

▸ Centralized Management Options

Address Lists

[Add Address List...](#)

Address List Name	Description	Used for	Addresses	All <input type="checkbox"/> Delete
IDN-Support	IDN-Support-test		(3) ಅಭ್ಯಾಸ@ಯಾಹೂ.ಜಿ.ಕೆ, @ಜಿಮೇಲ್.ಕೆ.ಎಂ,...	<input type="checkbox"/>

[Delete](#)

Bestemmingscontroles

Om IDN-domeinnamen aan bestemmingscontrole toe te voegen, navigeer om

Mail-beleid -> Destination Control -> Add Destination -> U kunt de IDN Domain Name toevoegen -> Submit -> Commit

Monitor Mail Policies Security Services Network System Administration

Add Destination Controls

Mode — Cluster: **ESA_BETA_CLUSTER** Change Mode...

▸ Centralized Management Options

Destination Controls

Destination:	<input type="text" value="ಜಿಮೇಲ್.ಕೆ.ಎಂ"/>
IP Address Preference:	Default (IPv6 Preferred)
Limits:	Concurrent Connections: <input type="radio"/> Use Default (500) <input checked="" type="radio"/> Maximum of <input type="text" value="500"/> (between 1 and 1,000)
	Maximum Messages Per Connection: <input type="radio"/> Use Default (50) <input checked="" type="radio"/> Maximum of <input type="text" value="50"/> (between 1 and 1,000)
	Recipients: <input checked="" type="radio"/> Use Default (No Limit) <input type="radio"/> Maximum of <input type="text" value="0"/> per <input type="text" value="60"/> minutes <i>Number of recipients between 0 and 1,000,000,000 per number of minutes between 1 and 60</i>
	Apply limits: Per Secure Email hostname: <input checked="" type="radio"/> System Wide <input type="radio"/> Each Virtual Gateway <i>(recommended if Virtual Gateways are in use)</i>
TLS Support:	Default (None)
DANE Support:	<input type="text" value="Default (None)"/>
Bounce Verification:	Perform address tagging: <input checked="" type="radio"/> Default (No) <input type="radio"/> No <input type="radio"/> Yes <i>Applies only if bounce verification address tagging is in use. See Mail Policies > Bounce Verification.</i>
Bounce Profile:	Default <i>Bounce Profile can be configured at Network > Bounce Profiles.</i>

Note: DANE will not be enforced for domains that have SMTP Routes configured.

[Cancel](#) [Submit](#)

Destination Controls

Success — Your changes have been committed.

Mode — Cluster: ESA_BETA_CLUSTER

Change Mode...

▸ Centralized Management Options

Destination Control Table

Items per page 20

Domain ▲	IP Address Preference	Destination Limits	TLS Support	DANE Support ^	Bounce Verification *	Bounce Profile	All <input type="checkbox"/> Delete
doosralab.com	Default	Default connection limit, 50 messages per connection, Default recipient limit	Required	Default	Default	Default	<input type="checkbox"/>
humaaralab.com	Default	Default connection limit, 50 messages per connection, Default recipient limit	Required	Default	Default	Default	<input type="checkbox"/>
जिमेिल.कोम	Default	500 concurrent connections, 50 messages per connection, Default recipient limit	Default	Default	Default	Default	<input type="checkbox"/>
Default	IPv6 Preferred	500 concurrent connections, 50 messages per connection, No recipient limit	None	None	Off	Default	

Export Table Delete

* Bounce Verification settings apply only if bounce verification address tagging is in use. See Mail Policies > Bounce Verification.
^ DANE will not be enforced for domains that have SMTP Routes configured.

Global Settings

Certificate:	Client-Cert
Send an alert when a required TLS connection fails:	Enabled

[Edit Global Settings...](#)

Bounce profielen

Ontvanger voor Bounce- en Waarschuwingsberichten kan met IDN-domeinnaam onder Bounce Profiles worden ingesteld.

Navigeren in op **netwerk** -> **Openbare profielen** -> **Openingsprofiel toevoegen** -> Naam invoeren -> De waarden voor stuitprofiel configureren -> Voor aanroepen voor Bounce en waarschuwingsberichten -> Selecteer **Geheime adres toevoegen** en u kunt kiezen om ISDN-domeinadres te gebruiken.

Monitor Mail Policies Security Services Network System Administration

Add Bounce Profile

Mode — Cluster: ESA_BETA_CLUSTER Change Mode...

> Centralized Management Options

Add Bounce Profile

Profile Name:

Maximum Number of Retries:
(between 0 and 10000)

Maximum Time in Queue: seconds
(between 0 and 3000000)

Initial Time to Wait per Message: seconds
(between 60 and 86400)

Maximum Time to Wait per Message: seconds
(between 60 and 86400)

Hard Bounce and Delay Warning Messages: Send Hard Bounce Messages:

Use Default (Yes) Yes No

Use DSN format for bounce messages:

Use Default (Yes) Yes No

Message Composition

Message Subject:

Parse DSN "Status" field from bounce responses: Use Default (No) Yes No

Notification Template: Bounce Notification Template can be defined at Mail Policies > Text Resources.

Message Language	Template	Preview	Delete
Default	System Generated		

Add Row

Send Delay Warning Messages:

Use Default (No) Yes No

Message Composition

Message Subject:

Notification Template: Bounce Notification Template can be defined at Mail Policies > Text Resources.

Message Language	Template	Preview	Delete
Default	System Generated		

Add Row

Minimum Interval Between Messages: seconds

Maximum Number of Messages to Send:

Recipient for Bounce and Warning Messages:

Message sender

Alternate:

Use Domain Key Signing for Bounce and Delay Messages:

Use Default (No) Yes No

There is no signing profile matching bounce from address MAILER-DAEMON@_NOTSET_.. Bounce messages will not be signed until you create appropriate signing profile.

Cancel Submit

LDAP

U kunt nu vragen met IDN-domeinnamen als in de afbeelding aanvaarden/groeperen.

Incoming Mail Policies

1

Edit User

Any Sender
 Following Senders
 Following Senders are Not

Email Address:

(e.g. user@example.com, user@, @example.com, @.example.com)

LDAP Group:
Query:

Group:

Any Recipient
 Following Recipients


(e.g. user@example.com, user@, @example.com, @.example.com)

Cisco Security Awareness not configured.

If one or more conditions match

LDAP Group:
Query:

Group:



Lokale Spam Quarantine

U ziet dat de lokale SPM Quarantine de IDN-domeinnamen in e-mailadres/domeinen/onderwerp weergeeft

Search

Note: For best performance your search should contain an envelope recipient.

Messages Received: Today Last 7 days Date Range: and

Where :

Envelope Recipient :

[Clear Search] 14 items found Search

Search Results Items per page 25

Displaying 1 – 14 of 14 items.


<input type="checkbox"/>	From	Envelope Recipient	To	Subject	Date	Size
<input type="checkbox"/>		anvitha@doosralab.com		[SUSPICIOUS MESSAGE] this is to test policy	10 Feb 2021 16:30 (GMT -06:00)	3.6K
<input type="checkbox"/>		अनञ्जिता2@जीमेल.कॉम		Please read as this is very என்று நம்புகிறேன் for both the countries.	09 Feb 2021 21:49 (GMT -06:00)	7.3K
<input type="checkbox"/>		あなたは誰ですか2@ヤフー.com		this is japanese test 今は17時38分です	09 Feb 2021 21:37 (GMT -06:00)	3.5K
<input type="checkbox"/>		你是誰2@明天.在		Please read as this is very என்று நம்புகிறேன் for both the countries.	09 Feb 2021 21:18 (GMT -06:00)	3.4K
<input type="checkbox"/>		你是誰2@明天.在		Please read as this is very என்று நம்புகிறேன் for both the countries.	09 Feb 2021 17:13 (GMT -06:00)	7.6K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very என்று நம்புகிறேன் for both the countries.	09 Feb 2021 17:11 (GMT -06:00)	8.8K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very என்று நம்புகிறேன் for both the countries .	09 Feb 2021 17:02 (GMT -06:00)	4.7K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very என்று நம்புகிறேன் for both the countries.	09 Feb 2021 17:00 (GMT -06:00)	5.1K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very ಮಾಡುತ್ತಿದ್ದಾರೆ ಎಂದು ಭಾವಿಸುತ್ತೇವೆ for both the countries.	09 Feb 2021 16:54 (GMT -06:00)	5.2K
<input type="checkbox"/>		anvitha@doosralab.com		this is a test	09 Feb 2021 16:01 (GMT -06:00)	3.3K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very என்று நம்புகிறேன் for both the countries .	09 Feb 2021 15:49 (GMT -06:00)	8.1K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very என்று நம்புகிறேன் for both the countries.	09 Feb 2021 15:41 (GMT -06:00)	8.8K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very आशा for both the countries.	08 Feb 2021 21:53 (GMT -06:00)	5.0K
<input type="checkbox"/>		anvitha@humaaralab.com		Please read as this is very आशा for both the countries.	08 Feb 2021 21:47 (GMT -06:00)	3.9K

OPMERKING: Lokale PVO Quarantine laat hetzelfde gedrag zien als spamquarantaine.

Verificatie en probleemoplossing

1) De rapporten over ESA en SMA (Secure Email and Web Manager) ondersteunen nu IDN. We kunnen gebruikersnamen/domein/e-mailadres in IDN-indeling zien op rapporten

Navigeren in om monitor te controleren -> Interne gebruikers



2) In **Message Tracking** kunnen we de naam van het IDN-domein zien en ook filteren met de IDN-domeinen/gebruikersnamen/e-mailadres

Search

Available Time Range: 16 Jun 2020 18:00 to 12 Feb 2021 08:19 (GMT -06:00) Data in time range: 87.98% complete

Envelope Sender: Contains

Envelope Recipient:

Subject:

Message Received: Last Day Last Week Custom Range

Start Date: Time: and End Date: Time: (GMT -06:00)

Search messages using advanced criteria

Generated: 12 Feb 2021 08:21 (GMT -06:00) Export All... | Export..

Results Items per page 20

Displaying 1 — 15 of 15 items.

1	11 Feb 2021 13:42:13 (GMT -06:00)	MID: 23579661	HOST: ESA1-EFT (10.0.202.17)	Show Details
SENDER: அனீதா@யாகூ.கோல்				
RECIPIENT: anvitha@humaaralab.com				
SUBJECT: Please read as this is very				
LAST STATE: Message 23579661 to anvitha@humaaralab.com received remote SMTP respons:				
2	11 Feb 2021 10:13:55 (GMT -06:00)	MID: 23579651	HOST: ESA1-EFT (10.0.202.17)	Show Details
SENDER: அனீதா@யாகூ.கோல்				
RECIPIENT: anvitha@humaaralab.com				
SUBJECT: Please read as this is very				
LAST STATE: Message 23579651 to anvitha@humaaralab.com received remote SMTP respons:				
3	09 Feb 2021 17:09:49 (GMT -06:00)	MID: 23570342	HOST: ESA1-EFT (10.0.202.17)	Show Details
SENDER: அனீதா@யாகூ.கோல்				
RECIPIENT: anvitha@humaaralab.com				
SUBJECT: Please read as this is very				
LAST STATE: A new message 23570347 was generated to handle bounce of message 235703-				
4	09 Feb 2021 16:59:11 (GMT -06:00)	MID: 23570318	HOST: ESA1-EFT (10.0.202.17)	Show Details

3) Gebruik CLI-opdrachtregel grep of staart om "mail_logs" te bekijken en we zien de IDN-domeinen in de logbestanden

Mon Feb 8 21:47:11 2021 Info: Start MID 23569633 ICID 148853

Mon Feb 8 21:47:11 2021 Info: MID 23569633 ICID 148853 From:

<@.>

Mon Feb 8 21:47:19 2021 Info: MID 23569633 ICID 148853 RID 0 To: <test@lab.com>

Mon Feb 8 21:47:52 2021 Info: MID 23569633 Subject 'Please read as this is very for both the countries.'

Mon Feb 8 21:47:52 2021 Info: MID 23569633 SDR: Domains for which SDR is requested: reverse DNS host: sample.host.com, helo: lab.com, env-from: ., header-from: Not Present, reply-to: Not Present

Mon Feb 8 21:47:53 2021 Info: MID 23569633 SDR: Consolidated Sender Reputation: Tainted, Threat Category: N/A, Suspected Domain(s) : lab.com. Youngest Domain Age: 3 months 29 days for domain: lab.com

Mon Feb 8 21:47:53 2021 Info: MID 23569633 SDR: Tracker Header : 87dSxFfNYdSiOahrXSUZFOrdpenKiF6J2uKiPf+SFKCtj52hNCpe6LDQ8UFAligNUDA7FsuXLvHTcaATt6AKG4PWLpwEeo/dcIPBUOdxB48=

Mon Feb 8 21:47:53 2021 Info: MID 23569633 ready 605 bytes from

<@.>

Mon Feb 8 21:47:53 2021 Info: MID 23569633 matched all recipients for per-recipient policy DEFAULT in the inbound table

Mon Feb 8 21:47:53 2021 Info: MID 23569633 interim verdict using engine: CASE spam positive

Mon Feb 8 21:47:53 2021 Info: MID 23569633 using engine: CASE spam positive

Mon Feb 8 21:47:53 2021 Info: ISQ: Tagging MID 23569633 for quarantine

Mon Feb 8 21:47:53 2021 Info: MID 23569633 interim AV verdict using McAfee CLEAN

Mon Feb 8 21:47:53 2021 Info: MID 23569633 interim AV verdict using Sophos CLEAN

Mon Feb 8 21:47:53 2021 Info: MID 23569633 antivirus negative

Mon Feb 8 21:47:53 2021 Info: MID 23569633 AMP file reputation verdict : SKIPPED (no attachment in message)

Mon Feb 8 21:47:53 2021 Info: MID 23569633 using engine: GRAYMAIL negative

Mon Feb 8 21:47:53 2021 Info: MID 23569633 Custom Log Entry: SDR Age is less than 1 Year

Mon Feb 8 21:47:53 2021 Info: MID 23569633 Outbreak Filters: verdict negative

Mon Feb 8 21:47:53 2021 Info: MID 23569633 Message-ID '<d35764\$mf971@esa1.lab.com>'

Mon Feb 8 21:47:53 2021 Info: MID 23569633 queued for delivery

Mon Feb 8 21:47:53 2021 Info: New SMTP DCID 250225 interface 10.0.202.17 address 10.0.201.5 port 6025

Mon Feb 8 21:47:53 2021 Info: DCID 250225 STARTTLS command not supported

Mon Feb 8 21:47:53 2021 Info: Delivery start DCID 250225 MID 23569633 to RID [0] to offbox IronPort Spam Quarantine

Mon Feb 8 21:47:53 2021 Info: Message done DCID 250225 MID 23569633 to RID [0] (external quarantine)

Mon Feb 8 21:47:53 2021 Info: MID 23569633 RID [0] Response 'ok: Message 27293054 accepted'

Mon Feb 8 21:47:53 2021 Info: Message finished MID 23569633 done

Mon Feb 8 21:47:58 2021 Info: DCID 250225 close

Gerelateerde informatie

- [Cisco e-mail security applicatie – eindgebruikershandleiding](#)
- [Technische ondersteuning en documentatie – Cisco Systems](#)