

Tijd en datum configureren op RV320 en RV325 VPN-routers

Doel

Dit artikel legt uit hoe u handmatig en automatisch tijd- en datuminstellingen kunt configureren in de RV32x VPN-routerserie.

Inleiding

Datum en tijdconfiguratie is nuttig om gegevensoverdracht tussen apparaten te synchroniseren. Voor de RV32x VPN Router Series kunt u de datum en de tijd handmatig instellen of u kunt een NTP-server (Network Time Protocol) gebruiken om de datum en de tijd automatisch bij te werken.

Toepasselijke apparaten


- RV320 VPN-router met dubbel WAN
- RV325 Gigabit VPN-router met dubbel WAN

Softwareversie

- v1.1.0.09

Tijd en datum instellen

Stap 1. Meld u aan bij het hulpprogramma voor webconfiguratie en kies **Setup > Tijd**.



De pagina *Tijd* wordt geopend:

Time

Current Time: 04/20/2013 03:20:52
Modification time: 04/20/2013 02:20:52
Time Zone: Alaska (GMT-9:00) ▼
Daylight Saving:
From: 06 month 25 day
To: 12 month 25 day
Set Date and Time: Auto Manual
NTP Server: time.nist.gov
Enter Date and Time: 3 hours 20 min 51 sec
4 month 20 day 2013 year

Save Cancel

De volgende informatie wordt op de pagina weergegeven:

- *Huidige tijd* - Dit vertegenwoordigt de recente datum en tijd.
- *Tijdstip van wijziging* - Dit is de datum en het tijdstip waarop de laatste wijziging is aangebracht.

Opmerking: Voor handmatig- en automatische tijdinstellingen moeten zonlicht en tijdzones worden ingesteld. NTP-servers zijn zich niet bewust van zomerse besparingen en tijdzones, dus als de locatie van de routertijdzone overbelichtingsbesparingen ondergaat, is het noodzakelijk om daglichtbesparingen op het apparaat te configureren.

Stap 2. Kies de tijdzone die op de locatie van de router is gebaseerd, in de vervolgkeuzelijst *Tijdzone*.

Time

Current Time: 2016-01-12, 23:21:59
 Modification time: 2016-01-12, 23:21:59

Time Zone: Pacific Time (US & Canada) (GMT-8:00) ▼

Adjust for Daylight Savings Time: Eniwetok (GMT-12:00) ▲

Daylight Saving Mode: Midway Island (GMT-11:00)

From: Hawaii (GMT-10:00)

To: Alaska (GMT-9:00)

From: Pacific Time (US & Canada) (GMT-8:00)

To: Mountain Time (US & Canada) (GMT-7:00)

Daylight Saving Offset: Central Time (US & Canada) (GMT-6:00)

Set Date and Time: Mexico City (GMT-6:00)

NTP Server: Bogota (GMT-5:00)

Enter Date and Time: Lima (GMT-5:00)

Eastern Time (US & Canada) (GMT-5:00)

Atlantic Time (Canada) (GMT-4:00)

Caracas (GMT-4:00)

La Paz (GMT-4:00)

Buenos Aires (GMT-3:00)

Mid-Atlantic (GMT-2:00)

Azores (GMT-1:00)

Greenwich Mean Time: London (GMT+00:00)

Amsterdam (GMT+01:00)

Berlin (GMT+01:00)

Save Cancel

Stap 3. (Optioneel) Als de gekozen tijdzone daglichtbesparingen heeft, schakelt u het vakje **Daylight Saving** in. Als u dit vakje aankruist, gaat u verder naar Stap 4, anders naar [Stap 10](#).

Time

Current Time: 2016-01-12, 23:21:59
 Modification time: 2016-01-12, 23:21:59

Time Zone: Pacific Time (US & Canada) (GMT-8:00) ▼

Adjust for Daylight Savings Time:

Daylight Saving Mode: By date Recurring

Stap 4. Kies de *Daylight Savings modus*. De opties zijn:

- *Op datum* - Als dit is gekozen, ga dan naar [stap 5](#).
- *Terugkeren* - Als dit is geselecteerd, gaat u naar [Stap 7](#).

Time

Current Time: 2016-01-12, 23:21:59

Modification time: 2016-01-12, 23:21:59

Time Zone: Pacific Time (US & Canada) (GMT-8:00) ▾

Adjust for Daylight Savings Time:

Daylight Saving Mode: By date Recurring

From: Month: 06 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾

To: Month: 12 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾

From: Month: 06 ▾ Week: 2nd ▾ Day: Tue ▾ Time: 12 ▾ : 00 ▾

To: Month: 12 ▾ Week: 3rd ▾ Day: Wed ▾ Time: 12 ▾ : 00 ▾

Daylight Saving Offset: +60 ▾ Minutes

Stap 5. Voer in *het veld From* in de *maand, Dag* en *Tijd* waarop de daglichtbesparing begint.

Time

Current Time: 2016-01-12, 23:21:59

Modification time: 2016-01-12, 23:21:59

Time Zone: Pacific Time (US & Canada) (GMT-8:00) ▾

Adjust for Daylight Savings Time:

Daylight Saving Mode: By date Recurring

From: Month: 06 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾

To: Month: 12 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾

From: Month: 06 ▾ Week: 2nd ▾ Day: Tue ▾ Time: 12 ▾ : 00 ▾

To: Month: 12 ▾ Week: 3rd ▾ Day: Wed ▾ Time: 12 ▾ : 00 ▾

Stap 6. Voer in *het veld To* de *maand, dag* en *tijd* in waarop de daglichtbesparing eindigt.

Time

Current Time: 2016-01-12, 23:21:59
Modification time: 2016-01-12, 23:21:59
Time Zone: Pacific Time (US & Canada) (GMT-8:00) ▾
Adjust for Daylight Savings Time:
Daylight Saving Mode: By date Recurring
From: Month: 06 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
To: Month: 12 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
From: Month: 06 ▾ Week: 2nd ▾ Day: Tue ▾ Time: 12 ▾ : 00 ▾
To: Month: 12 ▾ Week: 3rd ▾ Day: Wed ▾ Time: 12 ▾ : 00 ▾

Stap 7. Voer in *het veld From* in de maand, week, dag en tijd waarop de daglichtbesparing begint.

Time

Current Time: 2016-01-12, 23:21:59
Modification time: 2016-01-12, 23:21:59
Time Zone: Pacific Time (US & Canada) (GMT-8:00) ▾
Adjust for Daylight Savings Time:
Daylight Saving Mode: By date Recurring
From: Month: 06 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
To: Month: 12 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
From: Month: 06 ▾ Week: 2nd ▾ Day: Tue ▾ Time: 12 ▾ : 00 ▾
To: Month: 12 ▾ Week: 3rd ▾ Day: Wed ▾ Time: 12 ▾ : 00 ▾
Daylight Saving Offset: +60 ▾ Minutes

Stap 8. Voer in *het veld To* de maand, week, dag en tijd in waarop de zomerse besparing eindigt.

Time

Current Time: 2016-01-12, 23:21:59
 Modification time: 2016-01-12, 23:21:59
 Time Zone: Pacific Time (US & Canada) (GMT-8:00) ▾
 Adjust for Daylight Savings Time:
 Daylight Saving Mode: By date Recurring
 From: Month: 06 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
 To: Month: 12 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
 From: Month: 06 ▾ Week: 2nd ▾ Day: Tue ▾ Time: 12 ▾ : 00 ▾
 To: Month: 12 ▾ Week: 3rd ▾ Day: Wed ▾ Time: 12 ▾ : 00 ▾
 Daylight Saving Offset: +60 ▾ Minutes

Stap 9. opslaan van de offsetdaglicht

Time

Current Time: 2016-01-12, 23:21:59
 Modification time: 2016-01-12, 23:21:59
 Time Zone: Pacific Time (US & Canada) (GMT-8:00) ▾
 Adjust for Daylight Savings Time:
 Daylight Saving Mode: By date Recurring
 From: Month: 06 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
 To: Month: 12 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
 From: Month: 06 ▾ Week: 2nd ▾ Day: Tue ▾
 To: Month: 12 ▾ Week: 3rd ▾ Day: Wed ▾
 Daylight Saving Offset: +60 ▾ Minutes
 Set Date and Time: Manual
 NTP Server:
 Enter Date and Time: hours 21 min 59 sec
 month 12 day 2016 year
 -60

Save Cancel

Stap 10. Klik op het gewenste keuzerondje om de methode te kiezen waarbij de datum en de tijd moeten worden ingesteld.

- Auto - Dit stelt automatisch de datum en de tijd in op basis van de datum en het tijdstip van de NTP-server.
- Handmatig - Dit wordt gebruikt voor het handmatig configureren van de datum en tijd voor het apparaat.

Time

Current Time:	2016-01-12, 23:21:59
Modification time:	2016-01-12, 23:21:59
Time Zone:	Pacific Time (US & Canada) (GMT-8:00) ▾
Adjust for Daylight Savings Time:	<input checked="" type="checkbox"/>
Daylight Saving Mode:	<input type="radio"/> By date <input checked="" type="radio"/> Recurring
From:	Month: 06 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
To:	Month: 12 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
From:	Month: 06 ▾ Week: 2nd ▾ Day: Tue ▾ Time: 12 ▾ : 00 ▾
To:	Month: 12 ▾ Week: 3rd ▾ Day: Wed ▾ Time: 12 ▾ : 00 ▾
Daylight Saving Offset:	+60 ▾ Minutes
Set Date and Time:	<input checked="" type="radio"/> Auto <input type="radio"/> Manual
NTP Server:	time.nist.gov
Enter Date and Time:	23 hours 21 min 59 sec 1 month 12 day 2016 year

Stap 1. Als *Auto* in de vorige stap is geselecteerd, voert u de volledig gekwalificeerde *NTP*-servernaam of IP-adres in.

Time

Current Time:	2016-01-12, 23:21:59
Modification time:	2016-01-12, 23:21:59
Time Zone:	Pacific Time (US & Canada) (GMT-8:00) ▾
Adjust for Daylight Savings Time:	<input type="checkbox"/>
Daylight Saving Mode:	<input type="radio"/> By date <input type="radio"/> Recurring
From:	Month: 06 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
To:	Month: 12 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
From:	Month: 06 ▾ Week: 2nd ▾ Day: Tue ▾ Time: 12 ▾ : 00 ▾
To:	Month: 12 ▾ Week: 3rd ▾ Day: Wed ▾ Time: 12 ▾ : 00 ▾
Daylight Saving Offset:	+60 ▾ Minutes
Set Date and Time:	<input checked="" type="radio"/> Auto <input type="radio"/> Manual
NTP Server:	time.nist.gov
Enter Date and Time:	23 hours 21 min 59 sec 1 month 12 day 2016 year

Stap 12. Als in Stap 10 *Handmatig* is geselecteerd, voert u in het veld *Datum en tijd* in de uren, min en sec de gewenste waarden in. Doe dit ook voor de velden *maand*, *dag* en *jaar*.

Time

Current Time: 2016-01-12, 23:21:59
 Modification time: 2016-01-12, 23:21:59
 Time Zone: Pacific Time (US & Canada) (GMT-8:00) ▾
 Adjust for Daylight Savings Time:
 Daylight Saving Mode: By date Recurring
 From: Month: 06 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
 To: Month: 12 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
 From: Month: 06 ▾ Week: 2nd ▾ Day: Tue ▾ Time: 12 ▾ : 00 ▾
 To: Month: 12 ▾ Week: 3rd ▾ Day: Wed ▾ Time: 12 ▾ : 00 ▾
 Daylight Saving Offset: +60 ▾ Minutes
 Set Date and Time: Auto Manual
 NTP Server: time.nist.gov
 Enter Date and Time: 23 hours 21 min 59 sec
 1 month 12 day 2016 year

Stap 13. Klik op **Opslaan** om de instellingen op te slaan.

Time

Current Time: 2016-01-12, 23:21:59
 Modification time: 2016-01-12, 23:21:59
 Time Zone: Pacific Time (US & Canada) (GMT-8:00) ▾
 Adjust for Daylight Savings Time:
 Daylight Saving Mode: By date Recurring
 From: Month: 06 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
 To: Month: 12 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
 From: Month: 06 ▾ Week: 2nd ▾ Day: Tue ▾ Time: 12 ▾ : 00 ▾
 To: Month: 12 ▾ Week: 3rd ▾ Day: Wed ▾ Time: 12 ▾ : 00 ▾
 Daylight Saving Offset: +60 ▾ Minutes
 Set Date and Time: Auto Manual
 NTP Server: time.nist.gov
 Enter Date and Time: 23 hours 21 min 59 sec
 1 month 12 day 2016 year

Conclusie

U hebt nu met succes de stappen geleerd om de handmatige en automatische tijd- en datuminstellingen in de RV32x VPN-routerserie te configureren.

Bekijk de volgende video's voor meer informatie over routers van RV320 en RV325:

[RV320 en RV325 router - snel instellen](#)

[RV320 en RV325 routermodule met basis configuratie](#)