

Configuratie van Universal Plug and Play (UPnP) op RV320- en RV325-routers

Doel

Universal Plug and Play (UPnP) is een reeks netwerkprotocollen waarmee apparaten elkaar op het netwerk kunnen ontdekken. De ontdekte apparaten kunnen netwerkservices instellen voor het delen van gegevens, communicatie en entertainment. UPnP kan worden gebruikt om openbare services op uw netwerk in te stellen. Wanneer de UPnP-functie is ingeschakeld, kan uw besturingssysteem items aan de UPnP-doorsturen-tabel toevoegen of verwijderen.

Het doel van dit document is om u te tonen hoe u UPnP kunt inschakelen en de UPnP-tabel met doorsturen van poorten op de RV320- en RV325-routers kunt beheren.

Toepasselijke apparaten

- RV320
- RV325

Softwareversie

- 1.1.1.19

UPnP inschakelen

Stap 1. Meld u aan bij het programma voor webconfiguratie en kies **Firewall > Algemeen**. Het venster *General* wordt nu geopend.

General

Firewall: Enable

SPI(Stateful Packet Inspection): Enable

DoS (Denial of Service): Enable

Block WAN Request: Enable

Remote Management: Enable Port:

Multicast Pass Through: Enable

HTTPS: Enable

SSL VPN: Enable

SIP ALG: Enable

UPnP: Enable

Restrict Web Features

Block:

- Java
- Cookies
- ActiveX
- Access to HTTP Proxy Servers

Exception: Enable

Trusted Domains Table Items 0-0 of 0 5 per page

<input type="checkbox"/>	Domain Name
0 results found!	

Page 1 of 1

Stap 2. Controleer het selectieteken **Enable** in het *UPnP*-veld.

Firewall: Enable

SPI(Stateful Packet Inspection): Enable

DoS (Denial of Service): Enable

Block WAN Request: Enable

Remote Management: Enable Port:

Multicast Pass Through: Enable

HTTPS: Enable

SSL VPN: Enable

SIP ALG: Enable

UPnP: Enable

Stap 3. Klik op **Opslaan**.

General

Firewall: Enable
 SPI(Stateful Packet Inspection): Enable
 DoS (Denial of Service): Enable
 Block WAN Request: Enable
 Remote Management: Enable Port: 443
 Multicast Pass Through: Enable
 HTTPS: Enable
 SSL VPN: Enable
 SIP ALG: Enable
 UPnP: Enable

Restrict Web Features

Block: Java
 Cookies
 ActiveX
 Access to HTTP Proxy Servers
 Exception: Enable

Trusted Domains Table Items 0-0 of 0 5 per page

<input type="checkbox"/>	Domain Name
0 results found!	

Add Edit Delete Page 1 of 1

Save Cancel

Tabel voor uploaden van UPnP-poorten beheren

Stap 1. Kies in de knoppenbalk van de webconfiguratie de optie Instellen > Port Address Translation. Het venster voor poortadresomzetting wordt geopend:

Port Address Translation

Port Address Translation Table Items 0-0 of 0 5 per page

<input type="checkbox"/>	Service	Name or IP Address	Status
0 results found!			

Add Edit Delete Service Management... Page 1 of 1

UPnP Port Forwarding Table Items 0-0 of 0 5 per page

<input type="checkbox"/>	Service	Name or IP Address	Status
0 results found!			

Delete Page 1 of 1

Save Cancel

Opmerking: U kunt alle apparaten en toepassingen bekijken die het UPnP protocol in de *UPnP Port Forwarding Tabel* gebruiken. Het veld *Service* correspondeert met de naam van het apparaat of de service met UPnP evenals de geopende poorten. Het veld *Naam of IP-adres* correspondeert met het IP-adres dat aan het apparaat of de service is toegewezen. Het veld *Status* correspondeert met de vraag of UPnP door het apparaat of de service wordt gebruikt.

Stap 2. (optioneel) Om een boeking te verwijderen, schakelt u het vakje naast de gewenste

service in.

Port Address Translation

Port Address Translation Table Items 1-1 of 1 5 per page

<input type="checkbox"/>	Service	Name or IP Address	Status
0 results found!			

Add Edit Delete Service Management ... Page 1 of 1

UPnP Port Forwarding Table Items 0-0 of 0 5 per page

<input type="checkbox"/>	Service	Name or IP Address	Status
<input checked="" type="checkbox"/>	DNS[UDP/53-53]	192.168.1.1	Disabled

Delete Page 1 of 1

Save Cancel

Stap 3. (Optioneel) Klik op **Verwijderen** om de service te verwijderen.

Port Address Translation

Port Address Translation Table Items 1-1 of 1 5 per page

<input type="checkbox"/>	Service	Name or IP Address	Status
0 results found!			

Add Edit Delete Service Management ... Page 1 of 1

UPnP Port Forwarding Table Items 0-0 of 0 5 per page

<input type="checkbox"/>	Service	Name or IP Address	Status
<input checked="" type="checkbox"/>	DNS[UDP/53-53]	192.168.1.1	Disabled

Delete Page 1 of 1

Save Cancel

Stap 4. Klik op **Opslaan**.

Port Address Translation

Port Address Translation Table Items 0-0 of 0 5 per page

<input type="checkbox"/>	Service	Name or IP Address	Status
0 results found!			

Add Edit Delete Service Management ... Page 1 of 1

UPnP Port Forwarding Table Items 0-0 of 0 5 per page

<input type="checkbox"/>	Service	Name or IP Address	Status
0 results found!			

Delete Page 1 of 1

Save Cancel