


Habilitar recursos de captura de pacote de porta WAN em roteadores da série RV340

Objetivo

Requirements


- _____

Etapas para ativar a captura de pacotes através do menu Debug



The screenshot shows the Cisco Router login interface. At the top is the Cisco logo and the word "Router". Below this are three input fields: "Username", "Password", and a language dropdown menu set to "English". A blue "Login" button is positioned below the password field. Three green circles with numbers 1, 2, and 3 are placed to the right of the Username, Password, and Login fields respectively, indicating the steps for logging in.

©2017–2019 Cisco Systems, Inc. All rights reserved.
Cisco, the Cisco logo, and Cisco Systems are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.



RV340-RV340

Editando a URL para apontar para a página de depuração

Para editar a URL de depuração, siga os passos a seguir:


1. Acesse a página de configuração do sistema.
2. Localize a opção de configuração de depuração.
3. Edite a URL de depuração para apontar para a página desejada.
4. Salve as alterações.

Para mais informações, consulte o manual de usuário.

Para mais informações, consulte o manual de usuário.

----->

----->



Conclusão

Exibir um vídeo relacionado a este artigo...

[Clique aqui para ver outras palestras técnicas da Cisco](#)