在RV110W上配置用户设置

目标

RV110W同时使用管理员帐户和访客帐户。当访客帐户具有只读访问权限时,管理员可以对路 由器进行更改。本文说明如何配置RV110W的用户设置。

适用设备

·RV110W

步骤

步骤1.使用Web配置实用程序选择Administration > Users。

Users		
Account Activation		
Administrator Account	Active	
Guest Account	Active	
Administrator Account Setting		
Edit Administrator Settings		
New Username:	cisco	
Old Password:		
New Password:		
Retype New Password:		
Guest Settings		
Edit Guest Settings		
New Username:	guest	
Old Password:		
New Password:		
Retype New Password:		
Import User Name & Password		
Browse		
(To import User Names + Password via CSV files.)		
Import		
Save Cancel		

激活访客帐户

此过程显示管理员如何启用访客帐户进行访问。访客帐户允许访客用户查看有关路由器的信息

,但不能对其进行编辑。

步骤1.在Guest Account右侧,选*中Active* 复选框以**激活**访客帐户。

Users	
Account Activation	
Administrator Account	Active
Guest Account	Active
Administrator Account Setting	
Edit Administrator Settings	
New Username:	cisco
Old Password:	
New Password:	
Retype New Password:	
Guest Settings	
Edit Guest Settings	
New Username:	guest
Old Password:	
New Password:	
Retype New Password:	
Import User Name & Password	
Browse	
(To import User Names + Password via CSV files.)	
Import	
Save Cancel	

步骤2.单击"保**存"**保存更改,或单击**"取**消"放弃更改。

管理员帐户设置

此过程显示管理员如何更改管理员帐户设置。对管理员帐户的定期更改提高了帐户安全性。 步骤1.在"编辑管理员设置"*右侧,选*中该复选框可编辑管理员帐户设置。

Users		
Account Activation		
Administrator Account	Active	
Guest Account	Active	
Administrator Account Set	ing	
Edit Administrator Settings		
New Username:	cisco	
Old Password:		
New Password:		
Retype New Password:		
Guest Settings		
Edit Guest Settings		
New Username:	guest	
Old Password:		
New Password:		
Retype New Password:		
Import User Name & Password		
Browse		
(To import User Names + Password via CSV files.)		
Import		
Save Cancel		

步骤2.在New Username*字段*中,输入管理员帐户的新用户名。

步骤3.在"旧密码"字段中,输入管理员帐户的旧密码。

注意:管理员帐户的默认用户名和密码均为"cisco"。

步骤4.在"新密码"字段中,输入管理员帐户的新密码。

步骤5.在重新键入新密码字段中,再次输入新密码进行验证。

步骤6.单击"保**存"**保存更改,或单击"取消"放弃更改。

访客帐户设置

此过程显示管理员如何更改访客帐户设置。对访客帐户设置的定期更改提高了帐户安全性。 步骤1.在Edit Guest Settings(编辑访客设*置)的右*侧,选中该复选框可编辑访客帐户设置。

Users	
Account Activation	
Administrator Account	Active
Guest Account	Active
Administrator Account Setting	
Edit Administrator Settings	
New Username:	cisco
Old Password:	
New Password:	
Retype New Password:	
Guest Settings	
Edit Guest Settings	
New Username:	guest
Old Password:	
New Password:	
Retype New Password:	
Import User Name & Password	
Browse	
(To import User Names + Password via CSV files.)	
Import	
Save	
Save Cancel	

步骤2.在New Username 字段中,输入访客帐户的新用户名。

步骤3.在"旧密码"字段中,输入访客帐户的旧密码。

注意:访客帐户的默认用户名和密码均为"guest"。

步骤4.在"新密码"字段中,输入访客帐户的新密码。

步骤5.在重新键入新密码字段中,再次输入新密码进行验证。

步骤6.单击"保**存"**保存更改,或单击"取消"放弃更改。

导入用户名和密码

此过程显示管理员如何从文件导入用户设置。使用文件,管理员可以保留用户设置的记录。 步骤1.单击**Browse**以选择包含用户名和密码的文件。

Users		
Account Activation		
Administrator Account	Active	
Guest Account	Active	
Administrator Account Setting		
Edit Administrator Settings		
New Username:	cisco	
Old Password:		
New Password:		
Retype New Password:		
Guest Settings		
Edit Guest Settings		
New Username:	guest	
Old Password:		
New Password:		
Retype New Password:		
Import User Name & Password		
Browse		
(To import User Names + Password via CSV files.)		
Import		
Save Cancel		

注意:文件是CSV文件。

步骤2.单击"**导入"**。