RV110W上的备份和恢复设置

目标

在RV110W上,用户可以备份或恢复路由器设置的配置。然后,用户可以通过上传备份配置文件在发生紧急情况时快速恢复配置。本文介绍如何备份和恢复RV110W上的设置。

适用设备

·RV110W

步骤

步骤1.使用Web配置实用程序选择Administration > Backup/Restore Settings。"备份/还原设置"页打开:

connyuration	n Download & Clear		
Select	Configuration		Time
۲	Startup Configurat	ion	01/01/10 03:26 AM
0	Mirror Configuration	on	01/25/12 11:35 AM
\odot	Backup Configura	tion	01/01/10 03:33 AM
Download	Clear		
configuration (ocate & selec	Jpload: () t the upload file: _	Startup Config	uration Backup Configuration
configuration (ocate & selec	Jpload: () t the upload file:	Startup Config	uration © Backup Configuration Browse
onfiguration (Jpload: () t the upload file:	Startup Config	uration © Backup Configuration Browse
onfiguration (ocate & selec	Jpload: () t the upload file:	Startup Config Start to Uplo	uration © Backup Configuration Browse
onfiguration (ocate & select onfiguration (Jpload: () t the upload file: Copy	Startup Config Start to Uplo	uration © Backup Configuration Browse
onfiguration (ocate & selec onfiguration (opy:	Jpload: () t the upload file: [Copy	Startup Config Start to Uplo Startup Configurat	uration © Backup Configuration Browse ad tion v to Startup Configuration

下载或清除配置。

通过此程序,用户可以在发生紧急情况时下载配置或删除不再有用的配置。 步骤1.在"配置下载和清除"表中,点击要下载或清除的配置的单选按钮。

	on Download & Clear	
Select	Configuration	Time
۲	Startup Configuration	01/01/10 03:26 AM
0	Mirror Configuration	01/25/12 11:35 AM
\odot	Backup Configuration	01/01/10 03:33 AM
Download.	. Clear	
onfiguration	Upload: Startup ct the upload file:	Configuration © Backup Configurat
onfiguration	Upload: Startup ct the upload file:	Configuration © Backup Configurat
onfiguration	Upload: Upload: Startup ct the upload file: Start 	Configuration © Backup Configurat Browse
onfiguration ocate & sele	Upload: Upload: Ct the upload file: Startup Start Copy	Configuration © Backup Configurat Browse
onfiguration ocate & sele onfiguration	Upload: Startup Ct the upload file: Copy Startup Copy Startup Con	Configuration © Backup Configurat Browse to Upload

步骤2.单击Download将配置副本保存到计算机,或单击Clear清除配置。

上传配置。

通过此过程,用户可以从计算机上传配置以快速恢复之前的设置。

步骤1.如果要上传启动配置,请**单击"启动配置"**单选按钮;如果要上传备份配置,请单击**备份 配置**单选按钮。

Configuratio	n Download & Cloar		
Select	Configuration		Time
001000	Startup Configuratio	on	01/01/10 03:26 AM
0	Mirror Configuration	1	01/25/12 11:35 AM
Õ	Backup Configurati	on	01/01/10 03:33 AM
Download	Clear		
configuration	Upload Upload: @	Startun Configu	rration 🔘 Backup Configuration
Configuration Configuration I ocate & selec	Upload Upload: @ t the upload file:) Startup Configu	ration O Backup Configuration Browse
Configuration Configuration I Ocate & select	Upload: @ t the upload file:	Startup Configu Start to Uploa	ration © Backup Configuration Browse
Configuration Configuration I Ocate & select Configuration	Upload Upload: @ t the upload file: Copy	Startup Configu Start to Uploa	ad
Configuration Configuration I Cocate & select Configuration	Upload Upload: t the upload file: Copy Si	Startup Configu Start to Uploa	nation © Backup Configuration Browse ad on - to Startup Configuration

·启动配置 — 此选项是首次打开配置实用程序时可用的配置。

·备份配置 — 此选项是最新的配置。

步骤2.单击"浏**览"**以查找配置文件。

步骤3.选择所需文件,然后单击"**开始上传"**以上传配置文件。

复制配置。

通过此步骤,用户可以将配置复制到其他配置。

步骤1.在Configuration Copy字段中,从要复制的第一个Copy下拉菜单中选择要复制的配置。

comguration	h Download & Clear	
Select	Configuration	Time
۲	Startup Configuration	01/01/10 03:26 AM
0	Mirror Configuration	01/25/12 11:35 AM
\odot	Backup Configuration	01/01/10 03:33 AM
Download	Clear	
onfiguration onfiguration (ocate & selec	Upload Jpload:	Configuration O Backup Configuration
onfiguration onfiguration (ocate & selec	Upload Jpload: Startup C t the upload file: Start to	Configuration O Backup Configuration Browse
onfiguration onfiguration (ocate & selec onfiguration (Upload Jpload: Startup C t the upload file: Start to Copy	Configuration O Backup Configuration Browse o Upload
onfiguration onfiguration (ocate & select onfiguration opy:	Upload: Upload: t the upload file: Start to Copy Startup Con	Configuration © Backup Configuration Browse o Upload figuration 👻 to Startup Configuration

步骤2.从第二个"复制"下拉菜单中,选择复制所替换的配置。

步骤3.单击"开**始复制"**。

生成加密密钥

加密密钥有助于提高备份文件的安全性。此过程将显示如何创建加密密钥。

步骤1a.单击"Show Advanced Settings(显示高级设置)"。

Backup / Re	estore Settings	
Configuration	n Download & Clear	
Select	Configuration	Time
	Startup Configuration	01/01/10 03:26 AM
	Mirror Configuration	01/25/12 11:35 AM
	Backup Configuration	01/01/10 03:33 AM
Download	Clear	
Configuration Configuration I Locate & selec	Upload Jpload: t the upload file:	iguration O Backup Configuration Browse
Configuration Copy:	Copy Startup Configur Start to C	ration - to Startup Configuration -
Show A	dvanced Settings	

步骤1b."高级设置"(Advanced Settings)字段将变为可见。

Hide Ad	vanced Settings
Advanced Se	ttings
Seed used to	Generate Encryption Key for Sensitive Data Protection in the Configuration File
Seed used to	Generate Encryption Key for Sensitive Data Protection in the Configuration File

步骤2.在字段中,输入将用于创建密钥的任意字符组合的短语。

步骤3.单击"保**存"**保存更改。