

# 在RV320和RV325 VPN路由器上配置时间和日期

## 目标

本文介绍如何在RV32x VPN路由器系列上配置手动和自动的时间和日期设置。

## 简介

日期和时间配置对同步设备之间的数据传输非常有用。对于RV32x VPN路由器系列，您可以手动设置日期和时间，也可以使用网络时间协议(NTP)服务器自动更新日期和时间。

## 适用设备


- RV320双WAN VPN路由器
- RV325千兆双WAN VPN路由器

## 软件版本

·v1.1.0.09

## 配置时间和日期

步骤1.登录Web配置实用程序，然后选择“设置”>“时间”。



“时间”页面打开：

**Time**

Current Time: 04/20/2013 03:20:52  
 Modification time: 04/20/2013 02:20:52  
 Time Zone: Alaska (GMT-9:00) ▼  
 Daylight Saving:   
 From: 06 month 25 day  
 To: 12 month 25 day  
 Set Date and Time:  Auto  Manual  
 NTP Server: time.nist.gov  
 Enter Date and Time: 3 hours 20 min 51 sec  
 4 month 20 day 2013 year

Save Cancel

该页面显示以下信息：

- **当前时间** — 表示最近的日期和时间。
- **修改时间** — 这表示上次修改完成的日期和时间。

**注意：**对于手动和自动时间设置，必须配置夏时制和时区。NTP服务器不知道夏时制和时区，因此，如果路由器时区的位置发生夏时制，则有必要在设备上配置夏时制。

步骤2.根据路由器的位置从时区(Time Zone)下拉列表中选择时区。

**Time**

Current Time: 2016-01-12, 23:21:59  
 Modification time: 2016-01-12, 23:21:59  
 Time Zone: Pacific Time (US & Canada) (GMT-8:00) ▼  
 Adjust for Daylight Savings Time: Eniwetok (GMT-12:00)  
 Daylight Saving Mode: Midway Island (GMT-11:00)  
 From: Hawaii (GMT-10:00)  
 To: Alaska (GMT-9:00)  
 From: Pacific Time (US & Canada) (GMT-8:00)  
 To: Mountain Time (US & Canada) (GMT-7:00)  
 From: Central Time (US & Canada) (GMT-6:00)  
 To: Mexico City (GMT-6:00)  
 Daylight Saving Offset: Bogota (GMT-5:00)  
 Set Date and Time: Lima (GMT-5:00)  
 NTP Server: Eastern Time (US & Canada) (GMT-5:00)  
 Enter Date and Time: Atlantic Time (Canada) (GMT-4:00)  
 Caracas (GMT-4:00)  
 La Paz (GMT-4:00)  
 Buenos Aires (GMT-3:00)  
 Mid-Atlantic (GMT-2:00)  
 Azores (GMT-1:00)  
 Greenwich Mean Time: London (GMT+00:00)  
 Amsterdam (GMT+01:00)  
 Berlin (GMT+01:00)

Save Cancel

步骤3. ( 可选 ) 如果所选时区具有夏时制，请选中夏时制复选框。如果选中此框，请继续执行步骤4，否则转[到步骤10](#)。

# Time

Current Time: 2016-01-12, 23:21:59

Modification time: 2016-01-12, 23:21:59

Time Zone: Pacific Time (US & Canada) (GMT-8:00) v

Adjust for Daylight Savings Time:

Daylight Saving Mode:  By date  Recurring

步骤4.选择夏令制模式。选项有：

- 按日期 — 如果选择此选项，请转到[步骤5](#)。
- 循环 — 如果选择此选项，请转到[步骤7](#)。

# Time

Current Time: 2016-01-12, 23:21:59

Modification time: 2016-01-12, 23:21:59

Time Zone: Pacific Time (US & Canada) (GMT-8:00) v

Adjust for Daylight Savings Time:

Daylight Saving Mode:  By date  Recurring

From: Month: 06 v Day: 25 v Time: 12 v 00 v

To: Month: 12 v Day: 25 v Time: 12 v 00 v

From: Month: 06 v Week: 2nd v Day: Tue v Time: 12 v : 00 v

To: Month: 12 v Week: 3rd v Day: Wed v Time: 12 v : 00 v

Daylight Saving Offset: +60 v Minutes

步骤5.在“自”字段中，输入夏令时开始的月、日和时间。

## Time

Current Time: 2016-01-12, 23:21:59

Modification time: 2016-01-12, 23:21:59

Time Zone: Pacific Time (US & Canada) (GMT-8:00) ▾

Adjust for Daylight Savings Time:

Daylight Saving Mode:  By date  Recurring

From: Month: 06 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾

To: Month: 12 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾

From: Month: 06 ▾ Week: 2nd ▾ Day: Tue ▾ Time: 12 ▾ : 00 ▾

To: Month: 12 ▾ Week: 3rd ▾ Day: Wed ▾ Time: 12 ▾ : 00 ▾

步骤6. 在“至”字段中，输入夏令时结束的月、日和时间。

## Time

Current Time: 2016-01-12, 23:21:59

Modification time: 2016-01-12, 23:21:59

Time Zone: Pacific Time (US & Canada) (GMT-8:00) ▾

Adjust for Daylight Savings Time:

Daylight Saving Mode:  By date  Recurring

From: Month: 06 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾

To: Month: 12 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾

From: Month: 06 ▾ Week: 2nd ▾ Day: Tue ▾ Time: 12 ▾ : 00 ▾

To: Month: 12 ▾ Week: 3rd ▾ Day: Wed ▾ Time: 12 ▾ : 00 ▾

第7步。在“自”字段中，输入夏令时开始的月、周、日和时间。

## Time

Current Time: 2016-01-12, 23:21:59

Modification time: 2016-01-12, 23:21:59

Time Zone: Pacific Time (US & Canada) (GMT-8:00) ▾

Adjust for Daylight Savings Time:

Daylight Saving Mode:  By date  Recurring

From: Month: 06 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾

To: Month: 12 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾

From: Month: 06 ▾ Week: 2nd ▾ Day: Tue ▾ Time: 12 ▾ : 00 ▾

To: Month: 12 ▾ Week: 3rd ▾ Day: Wed ▾ Time: 12 ▾ : 00 ▾

Daylight Saving Offset: +60 ▾ Minutes

第8步。在“至”字段中，输入夏令时结束的月、周、日和时间。

## Time

Current Time: 2016-01-12, 23:21:59

Modification time: 2016-01-12, 23:21:59

Time Zone: Pacific Time (US & Canada) (GMT-8:00) ▾

Adjust for Daylight Savings Time:

Daylight Saving Mode:  By date  Recurring

From: Month: 06 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾

To: Month: 12 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾

From: Month: 06 ▾ Week: 2nd ▾ Day: Tue ▾ Time: 12 ▾ : 00 ▾

To: Month: 12 ▾ Week: 3rd ▾ Day: Wed ▾ Time: 12 ▾ : 00 ▾

Daylight Saving Offset: +60 ▾ Minutes

步骤 9 中选择

**Time**

Current Time: 2016-01-12, 23:21:59  
 Modification time: 2016-01-12, 23:21:59  
 Time Zone: Pacific Time (US & Canada) (GMT-8:00)  
 Adjust for Daylight Savings Time:   
 Daylight Saving Mode:  By date  Recurring  
 From: Month: 06 Day: 25 Time: 12 00  
 To: Month: 12 Day: 25 Time: 12 00  
 From: Month: 06 Week: 2nd Day: Tue  
 To: Month: 12 Week: 3rd Day: Wed  
 Daylight Saving Offset: +60 Minutes  
 Set Date and Time:  Manual  
 NTP Server:   
 Enter Date and Time: hours 21 min 59 sec  
 month 12 day 2016 year

Save Cancel

步骤10.单击所需的单选按钮以选择设置日期和时间的方法。

- 自动 — 根据NTP服务器的日期和时间自动设置日期和时间。
- 手动 — 用于手动配置设备的日期和时间。

**Time**

Current Time: 2016-01-12, 23:21:59  
 Modification time: 2016-01-12, 23:21:59  
 Time Zone: Pacific Time (US & Canada) (GMT-8:00)  
 Adjust for Daylight Savings Time:   
 Daylight Saving Mode:  By date  Recurring  
 From: Month: 06 Day: 25 Time: 12 00  
 To: Month: 12 Day: 25 Time: 12 00  
 From: Month: 06 Week: 2nd Day: Tue Time: 12 : 00  
 To: Month: 12 Week: 3rd Day: Wed Time: 12 : 00  
 Daylight Saving Offset: +60 Minutes  
 Set Date and Time:  Auto  Manual  
 NTP Server: time.nist.gov  
 Enter Date and Time: 23 hours 21 min 59 sec  
 1 month 12 day 2016 year

步骤11.如果在上一步中选择了“自动”，请输入完全限定的NTP服务器名称或IP地址。

## Time

Current Time:	2016-01-12, 23:21:59
Modification time:	2016-01-12, 23:21:59
Time Zone:	Pacific Time (US & Canada) (GMT-8:00) ▾
Adjust for Daylight Savings Time:	<input type="checkbox"/>
Daylight Saving Mode:	<input checked="" type="radio"/> By date <input type="radio"/> Recurring
From:	Month: 06 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
To:	Month: 12 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
From:	Month: 06 ▾ Week: 2nd ▾ Day: Tue ▾ Time: 12 ▾ : 00 ▾
To:	Month: 12 ▾ Week: 3rd ▾ Day: Wed ▾ Time: 12 ▾ : 00 ▾
Daylight Saving Offset:	+60 ▾ Minutes
Set Date and Time:	<input checked="" type="radio"/> Auto <input type="radio"/> Manual
NTP Server:	time.nist.gov
Enter Date and Time:	23 hours 21 min 59 sec
	1 month 12 day 2016 year

步骤12.如果在步骤10中选择“手动”，请在“输入日期和时间”字段中，在小时、分和秒字段中输入所需的值，以设置时间。对月、日和年字段执行相同。

## Time

Current Time:	2016-01-12, 23:21:59
Modification time:	2016-01-12, 23:21:59
Time Zone:	Pacific Time (US & Canada) (GMT-8:00) ▾
Adjust for Daylight Savings Time:	<input type="checkbox"/>
Daylight Saving Mode:	<input checked="" type="radio"/> By date <input type="radio"/> Recurring
From:	Month: 06 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
To:	Month: 12 ▾ Day: 25 ▾ Time: 12 ▾ 00 ▾
From:	Month: 06 ▾ Week: 2nd ▾ Day: Tue ▾ Time: 12 ▾ : 00 ▾
To:	Month: 12 ▾ Week: 3rd ▾ Day: Wed ▾ Time: 12 ▾ : 00 ▾
Daylight Saving Offset:	+60 ▾ Minutes
Set Date and Time:	<input checked="" type="radio"/> Auto <input type="radio"/> Manual
NTP Server:	time.nist.gov
Enter Date and Time:	23 hours 21 min 59 sec
	1 month 12 day 2016 year

步骤13.单击“保存”以保存设置。

**Time**

Current Time: 2016-01-12, 23:21:59  
Modification time: 2016-01-12, 23:21:59  
Time Zone: Pacific Time (US & Canada) (GMT-8:00) ▾  
Adjust for Daylight Savings Time:   
Daylight Saving Mode:  By date  Recurring  
From: Month: 06 ▾ Day: 25 ▾ Time: 12 ▾ : 00 ▾  
To: Month: 12 ▾ Day: 25 ▾ Time: 12 ▾ : 00 ▾  
From: Month: 06 ▾ Week: 2nd ▾ Day: Tue ▾ Time: 12 ▾ : 00 ▾  
To: Month: 12 ▾ Week: 3rd ▾ Day: Wed ▾ Time: 12 ▾ : 00 ▾  
Daylight Saving Offset: +60 ▾ Minutes  
Set Date and Time:  Auto  Manual  
NTP Server: time.nist.gov  
Enter Date and Time: 23 hours 21 min 59 sec  
1 month 12 day 2016 year

**Save** **Cancel**

## 结论

您现在已成功学习了在RV32x VPN路由器系列上配置手动和自动时间和日期设置的步骤。

要了解有关RV320和RV325路由器的详细信息，请观看以下视频：

[RV320和RV325路由器快速设置](#)

[RV320和RV325路由器基本配置教程](#)