RV34x:在Windowsé>»è…¦ä¸Šå®‰è£�Cisco AnyConnect安全移å<•客æ^¶ç«

¢>®æ^{™™}

 $a c = a c^{2}, a c^$

Note: 本文僅é�©ç"¨æ–¼ Cisco Small Business RV34x ç³»å^—è·¯ç"±å™¨ï¼Œä,�é�©ç"¨æ–¼ Enterprise ç"¢å"�ã€,

ç°;ä»<

AnyConnectSecureMobility $\varsigma''''a^{\P}\varsigma (-\varsigma, u) = 1; \zeta \mu a (-\varsigma, u) = 1; \zeta \mu a$

AnyConnect 軟é«''ç‰^本

• AnyConnect | 4.10.x(ä, <載<u>最æ–°ç‰^æœ−</u>)

安è£� AnyConnect Secure Mobility ç"¨æ^¶ç«¯

$a^{\circ}a^{\circ}a^{\circ}\dot{e}^{3}$

æ¤å^‡æ�›éf¨å^†æ��供新手é�©ç″¨çš"詳細資æ–™å′Œç§~訣ã€,

必�æ¢�ä»¶

 AnyConnect ç,°æŽ´æ¬Šç"¢å"�ã€,æ, ¨éœ€è¦�å�' CDW
 ç‰å�`作夥ä¼´æˆ-é€�é�Žè²´å...¬å�,çš,,è£�ç½®æŽjè³¼éf¨é-€ï¼Œè³¼è²·ç″¨æ^¶ç«Ĩ 1 個使ç″¨è€... (L-AC-PLS-3Y-S5) çš,,é�,é ...,æˆ-åŒ...括 25 個使ç″¨è€...ä,€å¹´çš,,授權套ä»¶ (AC-PLS-P-25S)ã€,å�¦å¤–,é,,,有å...¶ä»–å�¯ç″¨çš,,授權é�,é ...,åŒ...括æ°,ä¹...授權ã aj<u>ke¼‰é�©ç″¨æ–¼æ,¨çš,,è·¯ç″±å™¨çš,,最新版本韌é«″ã€,</u> i¼²è«<按ä,€ä,<æ¤è™•å�–得有é—œæ¤ç¨kå°�çš,,é€�æ¥èªaæŽã€,)

Windows ç‰²æœ[¬] 8.1ã ♀ Microsoft æ" æ�´çš, æ�載 ARM64 çš, PC
 �ç"¨çš, Windows 10 ç‰²æœ[¬]ã€�ç>®å‰� Microsoft æ" æ�´çš, Windows 10 x86ï¼²32 ä½�å...f)å'Œ x64ï¼⁶4 ä½�å...f)ç‰²æœ[¬]ã€,

ä¹/2;ç[,]°°çš,,ä,**&æ[~]**Windows?查看以ä,‹å...¶ä»-æ-‡ç« ï¼�

- <u>åœ" Mac ä Šå®‰è£� AnyConnect</u>
- <u>在 Ubuntu æ;Œé�¢ä,Šå®‰è£� AnyConnect</u>

�ç‴¨è£�ç½® | 軟é«″版本

- RV340 | 1.0.03.21**(ä ٍ∢載最新版本)**
- RV340W | 1.0.03.21ï¼^{*}a, «è¼‰æœ€æ–°ç‰^{*}本ï¼^{*}/4‰
- RV345 | 1.0.03.21<u>i¹/4[°]a, <è¹/4‰æœ€æ–°ç‰[°]本i¹/4‰</u>
- RV345P | 1.0.03.21<u>ï¼^{*}ä, «¼‰æœ€æ–°ç‰ˆæœ¬ï¼‰</u>

æŽ^權資訊

AnyConnect ς ""æ^¶ ς «-æŽ^權åe®"ä½; ς "" e€...ä½; ς ""AnyConnectæ;Œé ς (""æ^¶ ς «-,以åŠä»»ä½•å ς "" ς š,AnyConnecte;Ό ς (""æ^¶ ς «-ïæqsse;Όs, "éœe;" aqse;Όs, "éœe;" aqse;aqsse;aqssess

æf³èl�çžè§£æ›´å¤šæœ‰é—œ æŽ^權çš"資訊嗎?以下æ^{~−}一䰛資æ°�: AnyConnect

 Cisco RV340 ç³»å[^]—å'Œ Cisco Anyconnect Secure Mobility Client <u>ç[¤]¾ç³¼¤è''Žè«–è«–å£</u>‡ã€,

<u>AnyConnect 授權å, èkå•�é;</u>Œã€,

æ¥é©Ÿ1

開啟ç¶²é �ç€�覽器,ä,¦å°Žè¦½è‡³ 「æ�ç§'軟é«″ä,‹è¼‰ã€�ç¶²é �ã€,



æ¥é©Ÿ2

在æ�œå°‹å^—ä,é–‹å§‹è¼,å...¥ã€ŒAnyconnectã€�,隨å�³å‡ºç�¾é�,é ...ã€,é�,å�–「 Secure Mobility Client v4.x� ã€,

æ¥é©Ÿ3

 $\ddot{a}_{\cdot}\dot{e}^{i}/4\%$ CiscoAnyConnectVPNClientã€, 大多æ•, ä½; ç‴è€...æœf�, å�-「AnyConnectPre-DeploymentPackage(Windows)ã€�é é, é ...ã€,

Note:

本æ–‡ä,çš,,圖片é�©ç″¨æ–¼ AnyConnect v4.10.x,也就是æ′°å¯«æœ¬æ–‡ä»¶æ™,çš,,最æ–°ç‰^本ã€,

AnyConnect Pre-Deployment Package (Windows) includes individual MSI files anyconnect-win-4.10.00093-predeploy-k9.zip



å¦,æžœæ,¨å·²è³¼è²·æŽˆæ¬Šä½†ç,,j法ä, <載 AnyConnect,è«<致é>» +1 919-993-2724,�çµjæ€�ç§'å...¨ç�fæœ�務關ä¿,éf¨é–€ã€,é�,æ"‡é�,é ...2ã€,å ID(ç″¨æ–¼ç™»å...¥Cisco.comçš,,ID)å'ŒéŠ·å″®è¨,單編號ã€,å�³å�¯å�–å¾–

æ¥é©Ÿ4

ä¹/2; ς ^{'''} Windows æ^a''æ;^ $\varsigma_1^{1/2}\varsigma$ ®;å°Žèl¹/2å^°å®‰è£� ς ^{''}、å¹4�æ^a''æ;^ã€,按å...©ä, **Setup.exe** å�³å�⁻啟å、•安è£� ς ^{''}、å°�ã€,

This PC > Downloads > anyconnect-win-4.10.00093-predeploy-k9 (1).zip



æ¥é©Ÿ5

快顯視窗å�¯èf½æœfè¦�æ±,權é™�,è‹¥å¦,æ¤ï¼Œè«‹é�¸æ"‡ã€Œæ¯ãጭã€,å¦,果快é

第6æ¥

勾é�,æ,¨éœ€è¦�安è£�之模組çš"æ ¸å�–æ–¹åjŠã€,



• *Core å'Œ VPN* - 包æ<¬å…有 VPN 功èf½çš,, AnyConnect æ ¸å¿fç‴æ^¶ç«¯ã€,

ç[™]»å...¥å‰�啟å‹• - ä½;ç" è€...æœfåœ Windows
 ç[™]»å...¥å°�話æ-¹åjŠéj 礰之å‰�看å^° AnyConnect GUI
 ç[™]»å...¥å°�話æ-¹åjŠã€,

 ç¶²è·⁻å[~]å �-ç®jç �tå"j - 這æ^{~-}æ � ∂ä¾>安å...¨ç¬¬ 2 層ç¶²è·⁻çš,,ç″¨æ^¶ç«¯è»Ÿé«″ã€,

- VPN ç<€æ...< (Hostscan) -
- 讑'ç''''æ^¶ç«⁻èf½è~å^¥ä¸»æ©Ÿä¸Šå®‰è£�之作æ¥ç³»çµ±ã€�é^{~2}æ¯′軟é«″ã€�é^{~2}é–"諜è
- AMP 啟ç"¨ä™¨ 這æ^{~-}ç"¨ä¾†ç,°ç«⁻點éf¨ç½2é€2階æfiæ, 軟é«″é^{~2}è· (AMP)
 çš,,å²'é«″ã€,

從å…§éf¨æ^–外éf¨éf¨ç½²ç«¯é»žæ"¶é>†è±�富çš"æµ�é‡�è"^çµj,ä,¦æŽŒæ�j網路é€

é>²ç « ⁻*ç*¶²*è* · ⁻*å*®‰*å*... ⁻ · *é* €TMæ⁻⁻*å*° ‡ HTTP a¢*é*‡*¢è* · ⁻*ç*"±*å*[^]° Cisco Cloud Web Security æŽfæ*¢¢*代*ç¢*†*ç*š,*ç*« ⁻*é*»ž*å*...*f*ä»¶ã€,

 Umbrella 漫é�Šå®‰å…¨ - 在æ²'有啟ç''¨ä»»ä½• VPN æ™,æ��ä¾> DNS 層安å…¨ã€,

- $ISE_{\varsigma} \in \mathfrak{a}... \in \hat{\mathfrak{a}} \in \hat{\mathfrak{a}} = f_{4}^{*} \otimes f_{4}^{*}$

 Diagnostic and Reporting Tool - ç[™]來æ[¶]€>†è³‡æ[™]以ç⁻é>£æŽ'è§£ AnyConnect 安è£�å'Œé€£ç·šå•�éjŒã€,

Note:

除é�žæ,¨æ‰‹å‹•å�–æ¶^勾é�¸é€™ä°›æ–¹å¡Šï¼Œå�¦å‰‡é �è¨æœf安

第7æ¥

ï¼^é�,ç″¨ï¼‰å¦,果需è¦�啟ç″¨éŽ–å®šå...fä»¶æœ�務,請勾é�,「鎖定å...fä» Windows 網路安å...¨æœ�å‹™ã€,

Note:

æ¤ç⁻,,ä¾<ä,ä,¦æœªå•Ÿç''¨ã€ŒéŽ–å®šå…fä»¶æœ�å∢™ã€�ã€,

Lock Down Component Services
Install Selected

第8æ¥

按ä,€ä,**「安è\$�所é�,å...§å®¹ã€�**ã€,



第9æ¥

按ä,€ä,<「Kã€�ï¼^碰定)ã€,

Cisco AnyConnect Secure Mobility Client Install Selector		\times
?	You selected the following AnyConnect 4.10.00093 modules to install:	
	AnyConnect VPN AnyConnect Start Before Login AnyConnect Diagnostic And Reporting Tool AnyConnect Posture AnyConnect ISE Posture AnyConnect AMP Enabler Module AnyConnect Network Visibility Module AnyConnect Network Access Manager AnyConnect Web Security AnyConnect Umbrella Roaming Security Do you wish to install these now?	
	OK Cancel	

æ¥é©Ÿ10

ä»"細波閱《補å……ä½;ç"¨è€…授權**龄**^ç´"》,ç"¶å¾ŒæŒ‰ä¸€ä¸**‹ã€ŒæŽ¥å�—ã€�**ã



ç**ŵ**è«–å'Œå®‰è£�後çš"後ç°Œæ¥é©Ÿ

安è£�完æ^�了ï¼�ç�¾åœ¨ï¼Œæ,¨å·²ç¶"在é›»è...¦ä¸Šæ^�功安è£� Cisco AnyConnect 安å...¨è¡Œå‹•ç″¨æ^¶ç«¯ã€,



æf³知é�"後續æ¥é©Ÿå—Žï¼Ÿè«‹æ"¾å¿fã€,å¦,æžœæ,¨éœ€è¦�在è·¯ç"±å™¨ä,Šè¨å®š AnyConnect çš,,èªæ~Žï¼Œè«‹æŸ¥çœ‹<u>在 RV34x ç³»å^—è·¯ç"±å™ïä,Šèï定</u> <u>AnyConnect VPN 連線功èf¼ã</u>€,

æ^ʿå€ʿ希望ç,ºå®¢æ^¶æ��供最å"ªè³açš"æœ�務,å› æ¤å¦,æžœæ,¨å°�æ¤ä¸»éjŒæœ%

�䰆,在è·¯ç″±å™¨ä¸Šå®Œæ^�è¨å®šå¾Œï¼Œæ,¨å�¯ä»¥åœ¨èž¢å¹•å�³ä¸‹æ–¹æŸ¥çœ‹‹

AnyConnect 圖礰ä,Šæ–¹ï¼Œå�³å�¯æŸ¥çœ‹è©³ç´°è³‡è¨Šã€,



AnyConnect æ^{*}‰ç^{*}, ç^{*}, å¹/4

æ,¨å�¯ä»¥å¾ž Google Play 商店æ^– Apple Store,下載 Anyconnect 應ç″¨ç¨‹å¼�ã€,

 $\underline{\ddot{a}_{\star}}\underline{\dot{e}_{\star}}\underline{\dot{a}_{\star}}\underline{\dot{e}_{\star}}\underline{\dot{a}_{\star}}\underline{\dot{e}_{\star}}\underline{\dot{a}_{\star}}\underline{\dot{e}_{\star}}\underline{\dot{a}_{\star}}\underline{\dot{e}_{\star}}\underline{\dot{a}_{\star}}\underline{\dot{e}_{\star}}\underline{\dot{a}_{\star}}\underline{\dot{e}_{\star}}\underline{\dot{a}_{\star}}\underline{\dot{e}_{\star}}\underline{\dot{a}_{\star}}\underline{\dot{e}_{\star}}\underline{\dot{a}_{\star}}\underline{\dot{e}_{\star}}}\underline{\dot{e}_{\star}}\underline{\dot{e}_{\star}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}}\underline{\dot{e}}}\underline{\dot{e}}}\underline{\dot{e}}}\underline{\dot{e}}\underline{\dot{e}}}\underline{\dot{e}}}\underline{\dot{e}}}\underline{\dot{e}}\underline$

a...¶ä»– e^3 ‡ a°

 $\frac{\dot{a}\ddot{Y}^{\circ}\underline{a}\underline{c} - \underline{a}\underline{v} - \underline{c}\underline{w}^{*}\underline{c}\underline{w} + \underline{a}\underline{v}^{*}\underline{c}\underline{w} + \underline{a}\underline{v}^{*}\underline{c}\underline{w}^{*}\underline{c}\underline{w} + \underline{a}\underline{v}^{*}\underline{c}\underline{w} + \underline{a}\underline{v}^{*}\underline{c}\underline{w} + \underline{a}\underline{v}^{*}\underline{c}\underline{v} + \underline{a}\underline{v}^{*}\underline{v} + \underline{a}\underline{v}^{*}\underline{c}\underline{v} + \underline{a}\underline{v}^{*}\underline{v} + \underline{a}\underline{v} + \underline{$

è§€çœ<è^‡æœ¬æ–‡ç>¸é—œçš,,影片...

<u>按ä,€ä,<æ¤è™•以è§€çœ<æ**�ç**§'çš,,技è¡"æ¼"講</u>

關於此翻譯

思科已使用電腦和人工技術翻譯本文件,讓全世界的使用者能夠以自己的語言理解支援內容。請注 意,即使是最佳機器翻譯,也不如專業譯者翻譯的內容準確。Cisco Systems, Inc. 對這些翻譯的準 確度概不負責,並建議一律查看原始英文文件(提供連結)。