


# 在WAP125或WAP581上配置訪客Web門戶區域 設定表

## 目標

WAP125和WAP581接入點的訪客Web門戶區域設定允許您操作強制網路門戶的設定。這是配置強制網路門戶視窗的外觀的位置。配置訪客Web門戶通常在首次部署訪客訪問時完成。訪客Web門戶表使網路管理員能夠自定義訪客Web門戶，以更好地滿足公司的要求。

本文旨在展示如何在WAP125或WAP581接入點上配置訪客Web門戶區域設定。



## 適用裝置 | 韌體版本

- WAP125 | 1.0.0.5(下載[最新版本](#))
- WAP581 | 1.0.0.4(下載[最新版本](#))

## 配置訪客Web門戶區域設定

步驟 1. 在提供的欄位中輸入使用者名稱和密碼，然後按一下Login，即可登入到基於Web的實用程式。



## Wireless Access Point

cisco

---

.....

English ▼

---

Login

©2017 Cisco Systems, Inc. All Rights Reserved.

Cisco, the Cisco Logo, and Cisco Systems are registered trademarks or trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

注意：預設使用者名稱和密碼為cisco/cisco。

步驟 2.選擇Access Control > Guest Access。

註：本文中的影象來自WAP125。選單選項可能會因裝置型號而異。



Getting Started



System Configuration



Wireless



Wireless Bridge



Fast Roaming



Access Control

ACL

Client QoS

Guest Access

步驟 3.選中要配置的Web門戶區域設定名稱的覈取方塊。



# Web Portal Locale Name




## Default

注意：在此示例中，選擇了「預設」。

步驟 4.按一下Edit按鈕。

# Web Portal Locale Table



Web Portal Locale Name



Default

步驟 5. 在 Web Portal Locale Name 欄位中輸入入口的名稱。最長可為 32 個字元。

## Web Portal Customization

Preview

Web Portal Locale Name: [?](#)

SampleGuestLocale

Guest Access Instance Name:


wiz\_cp\_inst1

Background Image:

cisco\_bkg.jpg


注意：在此示例中，輸入了 SampleGuestLocale。

選擇背景影象




注意：背景影象顯示在徽標影象的背面，並且門戶標題提示符。背景影象大小必須小於或等於 64k，且檔名中不得超過32個字元。支援的影象檔案型別為GIF、JPG和PNG。在本示例中，選擇了 background\_image3.png。

步驟 6. 在「Web門戶自定義」頁面上，按一下「背景影象瀏覽」按鈕。



步驟 7. 點選需要用作門戶背景的背景影象。




步驟 8.按一下「Open」。



步驟 9.按一下「Upload」。

Background Image:	cisco_bkg.jpg	Browse	Upload
Logo Image:	cisco_logo.png	Browse	Upload

選擇徽標影象




注意：徽標影象顯示在門戶提示符的左上角。徽標影象大小必須為64k或更小，並且檔名中最多必須有32個字元的空格。在本示例中，選擇了cisco\_logo.png。

步驟 10. 按一下Logo Image Browse按鈕。

Background Image:	cisco_bkg.jpg	<input type="button" value="Browse"/>	<input type="button" value="Upload"/>
Logo Image:	cisco_logo.png	<input type="button" value="Browse"/>	<input type="button" value="Upload"/>

步驟 11. 點選需要用作門戶徽標的影象。




注意：在本示例中，選擇了cisco\_logo。


步驟 12. 按一下「Open」。



步驟 13.按一下「Upload」。



選擇前景色




注意：前景色是連線按鈕、帳戶提示提示、使用者名稱和密碼提示的背景色。預設值為#FFFFFF。在此示例中，前景顏色為#fff799。

步驟 14. 在「Web門戶自定義」頁面上，按一下前景顏色選擇按鈕。




步驟 15. 選擇入口前景所需的顏色。



注意：在本例中，選#fff799了WebAuth。

選擇背景色




註：背景顏色是接受策略正前方的顏色和前景。此處顯示「接受提示」消息。

步驟 16. 在「Web門戶定製」頁中，按一下背景顏色選擇按鈕。




步驟 17.選擇用作門戶背景的颜色。




註：預設值為#FFFFFF。在此範例中，#c6df9c被選取。

選擇分隔符颜色




注意：分隔符顏色位於門戶標題提示區域的正下方。分隔符顏色下方是接受策略和帳戶影象。

步驟 18.在「Web門戶定製」頁面上，按一下分隔符顏色選擇按鈕。




步驟 19.選擇需要使用門戶的分隔符顏色的顏色。




註：預設值為#FFFFFF。在此範例中，#005b7e被選取。

為帳戶選擇映像




注意：帳戶映像的大小必須為5k，並且檔名中必須包含最多32個字元的空格。支援的影象檔案型別為GIF、JPG和PNG。

步驟 20. 在Web門戶自定義頁面上，按一下Account Image Browse按鈕。




步驟 21. 點選需要用作帳戶影象的影象。



注意：在本示例中，選擇了login\_key.jpg。

步驟 22. 按一下「Open」。



步驟 23. 按一下「Upload」。



步驟 24.從「字型」下拉選單中選擇入口的字型。

Fonts:

Account Prompting: ?

Username Prompting: ?

Password Prompting: ?

Button Prompting: ?

Browser Head Prompting: ?

Portal Title Prompting: ?

Account Tips Prompting: ?

Arial

Arial

Arial Black

Arial Narrow

Verdana

Georgia

Times New Roman

Trebuchet MS

Courier New

Impact

Comic Sans MS

Tahoma

Courier

Lucida Sans Unicode

Lucida Console

MS Sans Serif

MS Serif

Palatino Linotype

Symbol

Cisco Sans

註：預設值為Arial。在此範例中，選擇Cisco San。

步驟 25.在Account Prompting欄位中輸入開始使用該帳戶的提示。

Account Prompting: ?

Username Prompting: ?

Password Prompting: ?

Button Prompting: ?

Enter your Username

Username:

Password:

Connect

注意：在此示例中，輸入您的使用者名稱。

步驟 26.在Username Prompting欄位中輸入使用者名稱提示。

Account Prompting: ?	Enter your Username
Username Prompting: ?	Username:
Password Prompting: ?	Password:
Button Prompting: ?	Connect

注意：在此示例中，輸入使用者名稱：。

步驟 27.在「密碼提示」欄位中輸入密碼的提示符。

Fonts:	Arial ▼
Account Prompting: ?	Enter your Username
Username Prompting: ?	Username:
Password Prompting: ?	Password:
Button Prompting: ?	Connect

注意：在本示例中，輸入了密碼：。

步驟 28.在按鈕提示欄位中輸入連線按鈕的標籤。

Fonts:	<input type="text" value="Arial"/>
Account Prompting: ?	<input type="text" value="Enter your Username"/>
Username Prompting: ?	<input type="text" value="Username:"/>
Password Prompting: ?	<input type="text" value="Password:"/>
Button Prompting: ?	<input type="text" value="Connect"/>

注意：在本示例中，輸入了連線。

步驟 29.在Browser Head Prompting欄位中輸入入口的標題名稱。

Browser Head Prompting: ?	<input type="text" value="Cisco Captive Portal"/>
Portal Title Prompting: ?	<input type="text" value="Welcome to the Wireless Network"/>
Account Tips Prompting: ?	<input type="text" value="To start using this service, enter your credentials and click the Connect button."/>


注意：在此示例中，輸入了Cisco Captive Portal。

步驟 30.在Portal Title Prompting欄位中輸入門戶的標題。

Browser Head Prompting: ?	<input type="text" value="Cisco Captive Portal"/>
Portal Title Prompting: ?	<input type="text" value="Welcome to the Wireless Network"/>
Account Tips Prompting: ?	<input type="text" value="To start using this service, enter your credentials and click the Connect button."/>

注意：在本示例中，輸入了「Welcome to the Wireless Network」。

步驟 31.在Account Tips Prompting欄位中輸入開始使用門戶的提示。




The screenshot shows a configuration interface with four rows. Each row has a label on the left and a text input field on the right. The 'Account Tips Prompting' row is highlighted with a red border. The text in the input fields is as follows:

Label	Text
Browser Head Prompting: ?	Cisco Captive Portal
Portal Title Prompting: ?	Welcome to the Wireless Network
Account Tips Prompting: ?	To start using this service, enter your credentials and click the Connect button.
Acceptance Policy: ?	Acceptance Use Policy.

注意：在本示例中，要開始使用此服務，請輸入您的身份證明，然後按一下輸入的「連線」按鈕。

步驟 32.在Acceptance Policy ( 接受政策 ) 欄位中輸入使用條款和條件。



The screenshot shows the same configuration interface as above, but with the 'Acceptance Policy' row highlighted with a red border. The text in the input fields is as follows:

Label	Text
Browser Head Prompting: ?	Cisco Captive Portal
Portal Title Prompting: ?	Welcome to the Wireless Network
Account Tips Prompting: ?	To start using this service, enter your credentials and click the Connect button.
Acceptance Policy: ?	Acceptance Use Policy.

註：在本示例中，輸入了「接受使用策略」。

步驟 33.在Acceptance Prompting ( 接受提示 ) 欄位中定義接受使用策略的提示。

Account Tips Prompting: ?	To start using this service, enter your credentials and click the Connect button.
Acceptance Policy: ?	Acceptance Use Policy.
Acceptance Prompting: ?	Check here to indicate that you have read and accepted the Acceptance Use Policy.
No Acceptance Warning: ?	Error: You must acknowledge the Acceptance Use Policy before connecting!

註：在此示例中，請在此處選中以表示您已閱讀並接受輸入的「接受使用策略」。

步驟 34. 在No Acceptance Warning欄位中定義未接受使用策略時的提示。

Account Tips Prompting: ?	To start using this service, enter your credentials and click the Connect button.
Acceptance Policy: ?	Acceptance Use Policy.
Acceptance Prompting: ?	Check here to indicate that you have read and accepted the Acceptance Use Policy.
No Acceptance Warning: ?	Error: You must acknowledge the Acceptance Use Policy before connecting!

注意：在本示例中，錯誤：在輸入連線之前，必須確認接受使用策略！。

步驟 35. 在Work In Progress欄位中定義進行中活動。

No Acceptance Warning: ?	Error: You must acknowledge the Acceptance Use Policy before connecting!
Work In Progress Prompting: ?	Connecting, please wait.
Invalid Credentials Prompting: ?	Error: Invalid Credentials, please try again!
Connect Success Prompting: ?	Congratulations!
Welcome Prompting: ?	You are now authorized and connected to the network.

註：在本示例中，已輸入「Connecting, please wait.」。

步驟 36.在Invalid Credentials Prompting欄位中定義無效憑據的提示。

No Acceptance Warning: ?	Error: You must acknowledge the Acceptance Use Policy before connecting!
Work In Progress Prompting: ?	Connecting, please wait.
Invalid Credentials Prompting: ?	Error: Invalid Credentials, please try again!
Connect Success Prompting: ?	Congratulations!
Welcome Prompting: ?	You are now authorized and connected to the network.

注意：在此示例中，輸入錯誤：憑據無效，請重試！。

步驟 37.在Connect Success Prompting欄位中輸入成功連線的提示。

No Acceptance Warning: ?	Error: You must acknowledge the Acceptance Use Policy before connecting!
Work In Progress Prompting: ?	Connecting, please wait.
Invalid Credentials Prompting: ?	Error: Invalid Credentials, please try again!
Connect Success Prompting: ?	Congratulations!
Welcome Prompting: ?	You are now authorized and connected to the network.


注意：在本例中，輸入了「Congratulations！」。

步驟 38. 在歡迎提示欄位中輸入歡迎提示。

No Acceptance Warning: ?	Error: You must acknowledge the Acceptance Use Policy before connecting!
Work In Progress Prompting: ?	Connecting, please wait.
Invalid Credentials Prompting: ?	Error: Invalid Credentials, please try again!
Connect Success Prompting: ?	Congratulations!
Welcome Prompting: ?	You are now authorized and connected to the network.

注意：在本例中，您現在已獲得授權並連線到網路。

步驟 39. 儲存設定之前，按一下預覽檢視強制網路門戶。



WAP125

# Web Portal Custom

Preview

Web Portal Locale Name: 

Guest Access Instance Name:

這是配置後的外觀。



## Welcome to the Wireless Network



Enter your Credentials

Username:

Password:

Connect

To start using this service, enter your credentials and click the connect button.

Acceptance Use Policy.

Check here to indicate that you have read and accepted the Acceptance Use Policy.

步驟 40.按一下「Save」。



# Web Portal Customization

Save

Restore

Back

Preview

Web Portal Locale Name: ?

SampleGuestLocale

Guest Access Instance Name:

wiz\_cp\_inst1

Background Image:

cisco\_bkg.jpg

Browse

Upload

Logo Image:

cisco\_logo.png

Browse

Upload

Foreground Color: ?

#ff1799

Select

Background Color: ?

#c6df9c

Select

Separator Color: ?

#005b7e

Select

Account Image:

login\_key.jpg

Browse

Upload

Fonts:

Arial

Account Prompting: ?

Enter your Credentials

Username Prompting: ?

Username:

Password Prompting: ?

Password:

Button Prompting: ?

Connect

Browser Head Prompting: ?

Captive Portal

Portal Title Prompting: ?

Welcome to the Wireless Network

Account Tips Prompting: ?

To start using this service, enter your credentials and click the connect button.

Acceptance Policy: ?

Acceptance Use Policy.

Acceptance Prompting: ?

Check here to indicate that you have read and accepted the Acceptance Use Policy.

No Acceptance Warning: ?

Error: You must acknowledge the Acceptance Use Policy before connecting!

現在，您應該已經配置了WAP125或WAP581接入點的訪客Web門戶區域設定。

**觀看與本文相關的影片...**

[按一下此處以觀看思科的技術演講](#)

## 關於此翻譯

思科已使用電腦和人工技術翻譯本文件，讓全世界的使用者能夠以自己的語言理解支援內容。請注意，即使是最佳機器翻譯，也不如專業譯者翻譯的內容準確。Cisco Systems, Inc. 對這些翻譯的準確度概不負責，並建議一律查看原始英文文件（提供連結）。